


CLAHAS

1




109615

Rollant 42

UNIVERSAL DRIVE SHAFT WITH OVER-RUN CLUT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 306 0	DRIVE SHAFT		1	
2	00 0822 318 0	DRIVE SHAFT HALF		1	2)
3	00 0813 698 0	WASHER		1	
4	00 0813 697 0	COMPRESS.SPRING		1	
5	00 0813 696 0	SLIDING PIN		1	
6	00 0972 466 0	EXTENSION FORKE		1	
7	00 0972 465 0	CENTRE CROSS ASS.		2	
8	00 0972 503 0	CIRCLIP		8	
9	00 0244 946 0	GREASE NIPPLE	B M8X1	2	
10	00 0972 471 0	TENSION PIN FORKE		1	
11	00 0244 580 0	SPRING PIN	10 X 75	2	
12	00 0942 003 0	PROFILE TUBE		1	3)
13	00 0941 028 0	PROTECT.FUNNEL		1	
14	00 0917 283 0	BACK-UP RING		2	
15	00 0920 671 0	GLIDE RING		2	
16	00 0822 375 0	OUTER GUARD HALF		1	4)
17	00 0972 297 0	SUPPORTING CHAIN		2	
21	00 0822 319 0	DRIVE SHAFT HALF		1	5)
22	00 0824 475 0	INNER GUARD HALF		1	4)
23	00 0921 464 0	PROTECT.FUNNEL		1	
24	00 0936 486 0	PROFILE TUBE	1155 LANG	1	6)
25	00 0972 472 0	TENSION PIN FORKE		1	
26	00 0822 376 0	FREE WHEEL CPL.		1	
27	00 0822 377 0	CLUTCH HOUSING		1	
27	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
28	00 0814 229 0	FLAT SPRING		2	
29	00 0814 228 0	STOP KEY		2	
30	00 0814 227 0	HUB		1	
31	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
32	00 0235 186 0	CIRCLIP	72X2,5	1	
33	00 0920 683 0	BACK-UP RING		1	
34	00 0920 678 0	COMPRESS.SPRING		1	
35	00 0920 677 0	LOCKING SLEEVE		1	
36	00 0941 098 0	ANGLE RING		1	
37	00 0211 406 0	SNAP RING	SP 50	1	
38	00 0241 041 0	STEEL BALL	12,7 G28	3	

1)	Remarks	VAR. 7436
2)	Remarks	tractor side
3)	Remarks	1080 long
4)	Remarks	1020 long
5)	Remarks	machine side
6)	Remarks	1075 long




WIDE ANGLE UNIVERSAL DRIVE SHAFT W.OVER-RUN CLUTCH 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0821 250 0	DRIVE SHAFT		1	2)
1	00 0821 243 0	DRIVE SHAFT		1	3)
1	00 0821 245 0	DRIVE SHAFT		1	4)
2	00 0821 251 0	DRIVE SHAFT HALF		1	2)
2	00 0821 244 0	DRIVE SHAFT HALF		1	3)
2	00 0821 184 0	DRIVE SHAFT HALF		1	4)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	8	
4	00 0821 097 0	PROTECT.FUNNEL		1	
5	00 0821 098 0	GLIDE RING		1	
6	00 0813 698 0	WASHER		1	
7	00 0813 697 0	COMPRESS.SPRING		1	
8	00 0813 696 0	SLIDING PIN		1	
9	00 0941 475 0	EXTENSION FORKE		1	2)
9	00 0820 426 0	EXTENSION FORKE		1	3)
9	00 0820 427 0	EXTENSION FORKE		1	4)
10	00 0972 503 0	CIRCLIP		4	
11	00 0921 267 0	WASHER		4	
12	00 0242 908 0	CIRCLIP	32X1,2	4	
13	00 0820 421 0	CENTRE CROSS ASS.		2	
13	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
14	00 0921 268 0	DOUBLE FORK		1	
15	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
16	00 0244 581 0	SPRING PIN	W.ERS.D 2445812	2	
17	00 0820 423 0	FORK		1	
18	00 0941 506 0	PROFILE TUBE	1160 LANG	1	
19	00 0821 103 0	PROTECT.FUNNEL		1	
20	00 0920 671 0	GLIDE RING		2	
21	00 0824 484 0	PROTECTIVE TUBE	1045 LANG	1	
22	00 0821 104 0	SUPPORTING CHAIN		1	
25	00 0824 483 0	DRIVE SHAFT HALF		1	5)
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0824 475 0	INNER GUARD HALF		1	
28	00 0917 283 0	BACK-UP RING		1	
29	00 0824 479 0	PROTECT.FUNNEL		1	
30	00 0941 507 0	PROFILE TUBE		1	
31	00 0941 660 0	FORK		1	
32	00 0941 651 0	CENTRE CROSS ASS.		1	
32	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
33	00 0242 908 0	CIRCLIP	32X1,2	4	
34	00 0824 476 0	OVER-RUN CLUTCH		1	
35	00 0241 041 0	STEEL BALL	12,7 G28	3	
36	00 0824 477 0	CLUTCH HOUSING		1	
36	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
37	00 0814 229 0	FLAT SPRING		2	
38	00 0814 228 0	STOP KEY		2	
39	00 0814 227 0	HUB		1	
40	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
41	00 0235 186 0	CIRCLIP	72X2,5	1	
42	00 0920 683 0	BACK-UP RING		1	
43	00 0920 678 0	COMPRESS.SPRING		1	
44	00 0920 677 0	LOCKING SLEEVE		1	
45	00 0941 098 0	ANGLE RING		1	
46	00 0211 406 0	SNAP RING	SP 50	1	

WIDE ANGLE UNIVERSAL DRIVE SHAFT W.OVER-RUN CLUTCH 1)

1)	Remarks	VAR. 7364 = 6 TEIL. ANSCHLUSS VAR. 7127 = 21 TEIL.ANSCHLUSS VAR. 7218 = 8 TEIL. ANSCHLUSS
2)	Remarks	6-piece connection
3)	Remarks	21-TEIL. ANSCHLUSS
4)	Remarks	8-TEIL. ANSCHLUSS
5)	Remarks	machine side



GEARBOX WITH INTERMEDIATE DRIVE ASSY.

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0238 082 0	SCREW PLUG	M24X1,5	1	
2	00 0712 660 0	BREATHER	M 24 X 1,5 MONT	1	
3	00 0822 737 1	GEARBOX ASSY.	S	1	1)
3	00 0821 062 1	GEARBOX ASSY.	540M S	1	2)
4	00 0810 117 0	BUSHING	D30X20	2	
5	00 0239 389 0	CONTACT WASHER	A12	2	
6	00 0233 244 0	HEXAGON HEAD BOLT	M12X40-MKL	2	
7	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	3	
8	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	3	
9	00 0234 320 0	WASHER	8,4X23X3	3	
10	00 0900 420 0	GUARD CUP		1	
11	00 0233 200 0	SHAFT SEAL	BASL 48X 68X10	1	
12	00 0943 229 0	O-RING	40X1,5 -N	1	
13	00 0635 423 0	MAGNETIC FILTER BOLT	M24X1,5 KEG	1	
14	00 0943 228 0	O-RING	45 X1,5 -N	1	
15	00 0233 949 0	SHAFT SEAL	A 55X72X 8	1	
16	00 0665 021 0	CHAIN INNER LINK	B-16B-1	1	
17	00 0665 017 0	CHAIN LOCK BEND.	L-16B-1	1	
18	00 0665 016 1	LOCKING LINK	E-16B-1	1	
19	00 0822 519 0	ROLLER CHAIN	16B-1X160 E	1	
20	00 0821 067 1	PROTECTIVE TUBE	D 110 X 496LG	1	
21	00 0824 494 0	SYNTHETIC BUSH	110X114X 26,8	1	3)
22	00 0236 225 4	GRVD.BALL BEARING	6310-2RSR-C4	1	4)
23	00 0822 735 0	RING	D 90X21,3	1	4)
24	00 0816 606 1	FLANGED BUSH	50X55X65X40X2,5	1	4)
25	00 0236 942 0	GREASE NIPPLE	A S6X1	1	4)
26	00 0822 733 0	SPROCKET	15 Z.	1	4)
27	00 0822 730 0	COUPLER		1	4)
28	00 0238 387 0	BACK-UP WASHER	S 45X55X3,0	1	4)
29	00 0235 168 0	CIRCLIP	45X1,75	1	4)
30	00 0810 709 0	SHEAR BUSHING	25X10,3	2	4)
31	00 0235 220 1	HEXAGON HEAD BOLT	M10X55	1	4)
31	00 0236 171 0	HEXAGONAL NUT	M10	1	5)
31	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	1	5)
32	00 0818 782 2	SPACER BUSH	54X5X19	1	6)
33	00 0237 597 0	CIRCLIP	60X2	1	6)
34	00 0239 257 0	GRVD.BALL BEARING	6212-2RS*-C3	1	6)
35	00 0822 517 1	SPROCKET	15 Z. 25,40 TLG	1	6)
36	00 0233 031 0	WASHER	13X62X6	1	6)
37	00 0239 389 0	CONTACT WASHER	A12	1	6)
38	00 0239 160 0	HEXAGON HEAD BOLT	M12X35-MKL	1	6)
39	00 0822 947 0	BEARING HOUSING		1	7)
40	00 0235 194 0	CIRCLIP	110X4	2	7)

1) Remarks

from No. 00900032
see illustration plate 3 A

2) Remarks

BIS NR. 00900031
SIEHE BILDТАFEL 3 A

3) Remarks

to No. 00900421

4) Remarks

from No. 00900032

5) Remarks

AB NR. 00900032

6) Remarks

to No. 00900031


GEARBOX WITH INTERMEDIATE DRIVE ASSY.

7) Remarks	from No. 00900422
----------------------	-------------------

3A

CLHHS

ROLLANT 42



Rollant 42

109618

GEAR BOX

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 737 1	GEARBOX ASSY.	S	1	1)
1	00 0821 062 1	GEARBOX ASSY.	540M S	1	2)
2	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	4	
3	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	4	
4	00 0818 958 0	COVER		1	
5	00 0234 432 0	SHIM	50X62X1	1	3)
5	00 0234 424 0	SHIM	50X62X0,5	1	4)
5	00 0234 412 0	SHIM	50X62X0,3	1	5)
5	00 0239 459 0	SHIM	50X62X0,15 ERS.D. 239459	1	6)
5	00 0234 399 0	SHIM	50X62X0,1	1	7)
6	00 0235 986 0	TA.ROLLER BEARING	302 06	1	
7	00 0238 082 0	SCREW PLUG	M24X1,5	1	
8	00 0712 660 0	BREATHER	M 24 X 1,5 MONT	1	
9	00 0824 487 2	GEARBOX HOUSING		1	
10	00 0823 166 0	SLOTTED NUT	M40X1,5	1	
11	00 0215 637 0	INNER RING	IR 40X45X17	1	
12	00 0823 529 0	WHEEL SET	I=2,33	1	
13	00 0234 829 0	TA.ROLLER BEARING	30209 J2/Q	1	
14	00 0233 205 0	SHIM	75X85X1	1	3)
14	00 0233 204 0	SHIM	75X85X0,5	1	4)
14	00 0233 203 0	SHIM	75X85X0,3	1	5)
14	00 0215 489 0	SHIM	75X85X0,15	1	6)
14	00 0233 202 0	SHIM	75X85X0,1	1	7)
15	00 0824 492 0	GEARBOX COVER		1	
16	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	8	
17	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	8	
18	00 0943 228 0	O-RING	45 X1,5 -N	1	
19	00 0823 167 0	BUSHING	55X45X25	1	
20	00 0233 949 0	SHAFT SEAL	A 55X72X 8	1	
21	00 0823 168 0	SHAFT	D 53X883	1	8)
21	00 0822 732 0	SHAFT	D 53X883	1	9)
21	00 0821 063 1	SHAFT	D53X783	1	2)
22	00 0635 423 0	MAGNETIC FILTER BOLT	M24X1,5 KEG	1	
24	00 0243 693 0	TA.ROLLER BEARING	31308	1	
25	00 0811 466 0	SHIM	111X140X0,9	1	10)
25	00 0811 465 0	SHIM	111X140X0,8	1	11)
25	00 0811 464 0	SHIM	111X140X0,6	1	12)
25	00 0811 463 0	SHIM	111X140X0,5	1	4)
25	00 0811 467 0	SHIM	111 X 140 X 0,15	1	6)
26	00 0821 109 0	BUSHING		1	
27	00 0237 370 0	HEXAGON HEAD BOLT	M8X30	6	
28	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	6	
29	00 0235 805 0	SLOTTED NUT	M40X1,5	1	
30	00 0234 483 0	LOCKING PLATE	MB 8	1	
31	00 0943 216 0	BUSHING		1	
32	00 0233 200 0	SHAFT SEAL	BASL 48X 68X10	1	
33	00 0943 229 0	O-RING	40X1,5 -N	1	
34	00 0238 641 0	TA.ROLLER BEARING	32008X - 40X68X19	1	
35	00 0235 185 0	CIRCLIP	68X2,5	1	

1) Remarks


from No. 00900032

2) Remarks

BIS NR. 00900031

GEAR BOX

3)	Remarks	1.0 mm
4)	Remarks	0,5 MM
5)	Remarks	0,3 MM
6)	Remarks	0,15 MM
7)	Remarks	0,1 MM
8)	Remarks	from No. 00900532
9)	Remarks	NR. 00900032-00900531
10)	Remarks	0.9 mm
11)	Remarks	0,8 MM
12)	Remarks	0,6 MM



DRIVE, FRONT


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 521 0	SPRING GUIDE	D26,9X3,25X220	1	1)
1	00 0818 309 1	SPRING GUIDE		1	2)
2	00 0629 579 0	COMPRESS.SPRING	5,6 X 36 X272	1	1)
2	00 0818 339 1	COMPRESS.SPRING	7 X 38 X220	1	2)
3	00 0234 367 0	WASHER	17X42X4	1	
4	00 0236 173 0	HEXAGONAL NUT	M16	1	
5	00 0821 108 1	ROD		1	
6	00 0235 160 0	CIRCLIP	25X1,2	4	
7	00 0238 386 0	BACK-UP WASHER	S 25X35X2	4	
8	00 0235 182 0	CIRCLIP	52X2	4	
9	00 0235 870 0	GRVD.BALL BEARING	6205-2RS*-25X52X15	2	
10	00 0676 935 1	TENSION PINION	25,4 TLG-13Z	2	
11	00 0785 112 0	SPACER RING	D 36 X 6	2	
12	00 0008 525 0	BUSHING	22 X 26 X37	2	
13	00 0821 076 0	LEVER		1	
14	00 0236 944 0	GREASE NIPPLE	C S6X1	1	
15	00 0234 301 0	WASHER	26X34X2	1	
16	00 0238 386 0	BACK-UP WASHER	S 25X35X2	1	1)
16	00 0785 112 0	SPACER RING	D 36 X 6	1	2)
17	00 0629 025 1	SPACER RING	1ZX14	1	1)
17	00 0785 112 0	SPACER RING	D 36 X 6	1	2)
18	00 0822 521 0	SPRING GUIDE	D26,9X3,25X220	1	3)
19	00 0629 579 0	COMPRESS.SPRING	5,6 X 36 X272	1	
20	00 0233 325 0	WASHER	17X50X4	1	3)
21	00 0236 173 0	HEXAGONAL NUT	M16	1	1)
22	00 0819 807 2	THREADED ROD		1	1)
22	00 0822 548 0	ROD		1	2)
23	00 0237 862 0	CIRCLIP	50X2	1	1)
24	00 0822 540 1	LEVER		1	1)
24	00 0822 540 0	LEVER		1	2)
25	00 0235 190 0	CIRCLIP	90X3	2	1)
25	00 0237 835 0	CIRCLIP	55X2	2	2)
26	00 0233 570 1	GRVD.BALL BEARING	6210-2RS* 50X90X20	1	1)
26	00 0237 832 0	GRVD.BALL BEARING	6006-2RS*	2	2)
27	00 0239 370 0	SHIM	55X68X1,0	5	
28	00 0665 021 0	CHAIN INNER LINK	B-16B-1	1	
29	00 0665 017 0	CHAIN LOCK BEND.	L-16B-1	1	
30	00 0665 016 1	LOCKING LINK	E-16B-1	1	
31	00 0822 519 0	ROLLER CHAIN	16B-1X160 E	1	
32	00 0821 088 1	SPROCKET	35ZX25,4 TLG	2	
33	00 0822 157 0	HUB	D80X75	1	
34	00 0007 634 0	GIB-HEAD KEY	14X 9X 75	2	
35	00 0211 098 0	SHIM	S 68X79,5X3	2	
36	00 0244 798 0	GIB-HEAD KEY	8X 7X 45	3	
37	00 0822 166 0	HUB	D80X40	2	4)
38	00 0211 098 0	SHIM	S 68X79,5X3	2	4)
39	00 0821 088 1	SPROCKET	35ZX25,4 TLG	2	4)
39	00 0819 263 0	SPROCKET	25,4TLG 35Z	2	5)
40	00 0822 739 0	HUB	D 80X61	1	1)
41	00 0211 098 0	SHIM	S 68X79,5X3	1	1)
42	00 0821 088 1	SPROCKET	35ZX25,4 TLG	1	1)
42	00 0819 263 0	SPROCKET	25,4TLG 35Z	1	6)
43	00 0822 496 1	DOUBLE HUB	B 50 MM	1	
44	00 0823 085 0	SPRING GUIDE		1	7)

DRIVE, FRONT

1)	Remarks	from No. 00900032
2)	Remarks	BIS NR. 00900031
3)	Remarks	No. 00900032-00900421
4)	Remarks	from No. 00900182
5)	Remarks	BIS NR. 00900181
6)	Remarks	AB NR. 00900032
7)	Remarks	from No. 00900422

5

Rollant 42




CLHHS

FILL INDICATOR

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 464 0	HEXAGON HEAD BOLT	M06X12	2	
1	00 0236 169 0	HEXAGONAL NUT	M6	2	
1	00 0239 386 0	CONTACT WASHER	A 6	2	
2	00 0822 558 0	POINTER	2X30X129	1	
3	00 0822 553 0	SHAFT		1	
4	00 0238 240 0	ANGULAR JOINT	CS10	2	
5	00 0236 169 0	HEXAGONAL NUT	M6	2	
6	00 0822 557 0	ROD	D6X139	1	
7	00 0239 386 0	CONTACT WASHER	A 6	2	
8	00 0236 169 0	HEXAGONAL NUT	M6	2	
9	00 0237 603 0	SPRING PIN	4 X 20	1	
10	00 0822 550 0	LEVER		1	
11	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	2	
11	00 0236 171 0	HEXAGONAL NUT	M10	2	
11	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
12	00 0822 544 0	STOP		1	
13	00 0818 054 0	SHOCK ABSORBER		1	
14	00 0242 455 0	HEXAGON HEAD BOLT	M12X60	2	
14	00 0236 172 0	HEXAGONAL NUT	M12	2	
14	00 0239 389 0	CONTACT WASHER	A12	2	
15	00 0235 090 0	SPLIT PIN	4 X 28	2	1)
16	00 0013 004 0	TENSION SPRING	1,5 X 13,5X 67	1	1)

1) Remarks

from No. 00900032



DRIVE, BOTTOM

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 496 1	DOUBLE HUB	B 50 MM	1	
2	00 0211 098 0	SHIM	S 68X79,5X3	1	
3	00 0821 089 1	SPROCKET	35ZX19,05	1	
4	00 0007 634 0	GIB-HEAD KEY	14X 9X 75	1	
5	00 0236 514 0	COACH BOLT	M10X30	1	
5	00 0236 171 0	HEXAGONAL NUT	M10	1	
5	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	1	
6	00 0822 743 0	STOP		1	
7	00 0822 521 0	SPRING GUIDE	D26,9X3,25X220	1	1)
7	00 0818 309 1	SPRING GUIDE		1	2)
8	00 0702 506 0	COMPRESS.SPRING	4,25X32,5X270	1	1)
8	00 0629 579 0	COMPRESS.SPRING	5,6 X 36 X272	1	2)
9	00 0234 367 0	WASHER	17X42X4	1	
10	00 0236 173 0	HEXAGONAL NUT	M16	1	
11	00 0819 807 2	THREADED ROD		1	
12	00 0238 386 0	BACK-UP WASHER	S 25X35X2	1	
13	00 0235 160 0	CIRCLIP	25X1,2	2	
14	00 0238 386 0	BACK-UP WASHER	S 25X35X2	2	
15	00 0821 086 1	TENSION PINION	17ZX19,05	1	
16	00 0235 182 0	CIRCLIP	52X2	2	
17	00 0235 870 0	GRVD.BALL BEARING	6205-2RS*-25X52X15	1	
18	00 0008 525 0	BUSHING	22 X 26 X37	2	
19	00 0821 076 0	LEVER		1	
20	00 0236 944 0	GREASE NIPPLE	C S6X1	1	
21	00 0236 552 0	THREADED PIN	M10X 8	1	
22	00 0500 126 1	ADJUSTING RING	A 22X40X15-M10	1	
23	00 0822 527 0	ROLLER CHAIN	19,05 T 136RO	1	
24	00 0932 153 0	CHAIN INNER LINK	19,05X11,68	1	
25	00 0233 568 0	CHAIN LOCK BEND.	19,05X11,68	1	
26	00 0932 151 1	CHAIN LOCK STR.	19,05X11,68	1	
27	00 0822 524 1	SPROCKET	35Z X 19,05 TLG	2	
28	00 0007 633 0	GIB-HEAD KEY	14X 9X 56	2	
29	00 0824 139 1	TENSIONING BLOCK		1	3)
30	00 0236 462 0	COACH BOLT	M10X60	1	3)
31	00 0239 394 1	CONTACT WASHER	B10	1	3)
32	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	1	3)

1)	Remarks	from No. 00900032
-----------	----------------	-------------------




2)	Remarks	BIS NR. 00900031
-----------	----------------	------------------

3)	Remarks	from No. 00900672
-----------	----------------	-------------------

SHATS

ROLLANT 42

١



109622

Rollant 42

DRIVE TO PICK-UP 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 109 0	SPACER BUSH	D38X3,6X17	1	2)
2	00 0235 753 0	PARALLEL KEY	A 8X7X56	1	2)
3	00 0236 227 0	SOCKET HEAD SCREW	M10X 30	1	2)
4	00 0821 131 0	ROLLER CHAIN	19,05 T 81RO	1	2)
5	00 0932 153 0	CHAIN INNER LINK	19,05X11,68	1	
6	00 0233 568 0	CHAIN LOCK BEND.	19,05X11,68	1	
7	00 0932 151 1	CHAIN LOCK STR.	19,05X11,68	1	
8	00 0822 526 0	SPACER BUSH	Ø25XØ10,5 30MM	4	
9	00 0822 525 1	SPROCKET	29Z X 19,05 TLG	1	
10	00 0237 844 0	HEXAGON HEAD BOLT	M10X65	4	
10	00 0236 171 0	HEXAGONAL NUT	M10	4	
10	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	4	
11	00 0237 340 0	HEXAGON HEAD BOLT	M08X40	1	2)
12	00 0238 132 0	LOCK NUT	M8	1	2)
13	00 0822 148 0	HUB		1	2)
14	00 0821 470 0	SHEAR BUSHING	D 18X8	2	2)
15	00 0961 124 0	BEARING BUSH	50X 55X 10	1	2)
16	00 0821 466 1	SPROCKET	32 Z. B 55 MM	1	2)
17	00 0234 432 0	SHIM	50X62X1	1	2)
18	00 0237 862 0	CIRCLIP	50X2	1	2)
19	00 0233 177 0	WASHER	11X40X4	1	2)
20	00 0233 558 0	HEXAGON HEAD BOLT	M10X20-MKL	1	2)
21	00 0824 139 1	TENSIONING BLOCK		1	
22	00 0236 462 0	COACH BOLT	M10X60	1	
23	00 0239 394 1	CONTACT WASHER	B10	1	
24	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	1	
25	00 0822 697 0	ROLLER CHAIN	19,05 T 85E	1	3)
26	00 0905 807 0	SPACER BUSH		1	3)
27	00 0237 947 0	HEX. NUT WITH CLAMP. PART	M10	6	3)
28	00 0236 913 2	FLAT WASHER	10-10,5X20X2	6	3)
29	00 0800 444 1	COMPRESS.SPRING	4,5 X 15 X 30	6	3)
30	00 0818 058 0	COVER	D185X 8	1	3)
31	00 0812 687 2	CLUTCH LINING		2	3)
32	00 0812 351 2	SPROCKET	38Z X19,05	1	3)
33	00 0819 809 3	WEAR RING	125,5X129,5X12	1	3)
34	00 0819 810 0	HUB		1	3)
35	00 0237 808 0	HEXAGON HEAD BOLT	M10X75	6	3)
36	00 0244 798 0	GIB-HEAD KEY	8X 7X 45	1	3)

1) Remarks UP TO SERIAL NO. 00901251



2) Remarks to No. 00900181

3) Remarks from No. 00900182

CLHHS

ROLLANT 42

7A



Rollant 42 109623

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.
You can download the most
perfect and complete manual in
the world immediately.

Our support email:
ebooklibonline@outlook.com