


SHATS

T



ROLLANT 46

UNIVERSAL DRIVE SHAFT WITH OVER-RUN CLUTCH 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0821 250 0	DRIVE SHAFT		1	2)
1	00 0821 243 0	DRIVE SHAFT		1	3)
1	00 0821 245 0	DRIVE SHAFT		1	4)
2	00 0821 251 0	DRIVE SHAFT HALF		1	2)
2	00 0821 244 0	DRIVE SHAFT HALF		1	3)
2	00 0821 184 0	DRIVE SHAFT HALF		1	4)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	8	
4	00 0821 097 0	PROTECT.FUNNEL		1	
5	00 0821 098 0	GLIDE RING		1	
6	00 0813 698 0	WASHER		1	
7	00 0813 697 0	COMPRESS.SPRING		1	
8	00 0813 696 0	SLIDING PIN		1	
9	00 0941 475 0	EXTENSION FORKE		1	2)
9	00 0820 426 0	EXTENSION FORKE		1	3)
9	00 0820 427 0	EXTENSION FORKE		1	4)
10	00 0972 503 0	CIRCLIP		4	
11	00 0921 267 0	WASHER		4	
12	00 0242 908 0	CIRCLIP	32X1,2	4	
13	00 0820 421 0	CENTRE CROSS ASS.		2	
13	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
14	00 0921 268 0	DOUBLE FORK		1	
15	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
16	00 0244 581 2	SPRING PIN	10X 80	2	
17	00 0820 423 0	FORK		1	5)
18	00 0941 506 0	PROFILE TUBE	1160 LANG	1	5)
19	00 0821 103 0	PROTECT.FUNNEL		1	
20	00 0920 671 0	GLIDE RING		2	
21	00 0817 321 1	PROTECTIVE TUBE		1	5)
22	00 0821 104 0	SUPPORTING CHAIN		1	
25	00 0824 483 0	DRIVE SHAFT HALF		1	6)
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0824 475 0	INNER GUARD HALF		1	5)
28	00 0917 283 0	BACK-UP RING		1	
29	00 0824 479 0	PROTECT.FUNNEL		1	5)
30	00 0941 507 0	PROFILE TUBE		1	5)
31	00 0941 660 0	FORK		1	5)
32	00 0941 651 0	CENTRE CROSS ASS.		1	
32	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
33	00 0242 908 0	CIRCLIP	32X1,2	4	
34	00 0824 476 0	OVER-RUN CLUTCH		1	5)
35	00 0241 041 0	STEEL BALL	12,7 G28	3	5)
36	00 0824 477 0	CLUTCH HOUSING		1	5)
36	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
37	00 0814 229 0	FLAT SPRING		2	
38	00 0814 228 0	STOP KEY		2	
39	00 0814 227 0	HUB		1	5)
40	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
41	00 0235 186 0	CIRCLIP	72X2,5	1	
42	00 0920 683 0	BACK-UP RING		1	5)
43	00 0920 678 0	COMPRESS.SPRING		1	5)
44	00 0920 677 0	LOCKING SLEEVE		1	5)
45	00 0941 098 0	ANGLE RING		1	5)
46	00 0211 406 0	SNAP RING	SP 50	1	5)

UNIVERSAL DRIVE SHAFT WITH OVER-RUN CLUTCH 1)

1)	Remarks	VAR.7364 = 6 TEIL. ANSCHLUSS VAR.7127 = 21 TEIL. ANSCHLUSS VAR.7218 = 8 TEIL. ANSCHLUSS UP TO SERIAL NO. 00703826
2)	Remarks	6-piece connection
3)	Remarks	21-TEIL. ANSCHLUSS
4)	Remarks	8-TEIL. ANSCHLUSS
5)	Remarks	
6)	Remarks	machine side

CLHHS

1A



109449

Rollant 46

UNIVERSAL DRIVE SHAFT WITH SHEAR BOLT CL 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 960 1	DRIVE SHAFT ASSY.		1	2)
1	00 0822 963 1	DRIVE SHAFT ASSY.		1	3)
1	00 0822 965 1	DRIVE SHAFT ASSY.		1	4)
2	00 0822 961 0	DRIVE SHAFT HALF		1	2)
2	00 0822 964 0	DRIVE SHAFT HALF		1	3)
2	00 0822 966 0	DRIVE SHAFT HALF		1	4)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	8	
4	00 0821 097 0	PROTECT.FUNNEL		1	
5	00 0821 098 0	GLIDE RING		1	
6	00 0813 698 0	WASHER		2	
7	00 0813 697 0	COMPRESS.SPRING		2	
8	00 0813 696 0	SLIDING PIN		2	
9	00 0941 475 0	EXTENSION FORKE		1	2)
9	00 0820 426 0	EXTENSION FORKE		1	3)
9	00 0820 427 0	EXTENSION FORKE		1	4)
10	00 0972 503 0	CIRCLIP		4	
11	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
12	00 0242 908 0	CIRCLIP	32X1,2	4	
13	00 0820 421 0	CENTRE CROSS ASS.		2	
14	00 0921 267 0	WASHER		4	
15	00 0921 268 0	DOUBLE FORK		1	
16	00 0244 946 0	GREASE NIPPLE	B M8X1	1	
17	00 0941 486 0	FORK		1	5)
18	00 0244 581 2	SPRING PIN	10X 80	1	
19	00 0941 507 0	PROFILE TUBE		1	6)
20	00 0821 103 0	PROTECT.FUNNEL		1	
21	00 0920 671 0	GLIDE RING		2	
22	00 0824 446 0	PROTECTIVE TUBE		1	7)
23	00 0821 104 0	SUPPORTING CHAIN		1	
24	00 0822 962 1	DRIVE SHAFT HALF		1	8)
25	00 0823 180 0	GUARD HALF		1	7)
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0917 283 0	BACK-UP RING		1	
28	00 0813 018 1	PROTECT.FUNNEL		1	5)
29	00 0824 457 0	KEYOVERRUN CLUTCH		1	5)
30	00 0824 458 0	PROFILE TUBE		1	5)
31	00 0235 186 0	CIRCLIP	72X2,5	1	
32	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
33	00 0814 228 0	STOP KEY		2	
34	00 0814 229 0	FLAT SPRING		2	
35	00 0813 015 0	HUB		1	5)
36	00 0213 698 0	SPRING PIN	W.ERS.D.2136981	1	
37	00 0823 186 0	CLUTCH HOUSING		1	5)
38	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
39	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
40	00 0941 651 0	CENTRE CROSS ASS.		1	
41	00 0242 908 0	CIRCLIP	32X1,2	4	
42	00 0823 181 0	SHEAR BOLT CLUTCH		1	5)
43	00 0235 521 0	HEXAGON HEAD BOLT	M8-60	1	5)
44	00 0238 132 0	LOCK NUT	M8	1	5)
45	00 0238 635 0	STEEL BALL	7,938 G28	24	5)
46	00 0941 090 0	GREASE NIPPLE		1	5)

UNIVERSAL DRIVE SHAFT WITH SHEAR BOLT CL 1)

1)	Remarks	VAR.7724 = 6 TEIL. ANSCHLUSS VAR.7722 = 21 TEIL. ANSCHLUSS VAR.9859 = 8 TEIL. ANSCHLUSS FROM SERIAL NO. 00703827
2)	Remarks	6-piece connection
3)	Remarks	21-TEIL. ANSCHLUSS
4)	Remarks	8-TEIL. ANSCHLUSS
5)	Remarks	
6)	Remarks	1045 long
7)	Remarks	1000 long
8)	Remarks	machine side

CLHHS

1B



109450

Rollant 46

UNIVERSAL DRIVE SHAFT WITH CUT-OUT CLUTC 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0822 967 1	DRIVE SHAFT ASSY.		1	2)
2	00 0822 961 0	DRIVE SHAFT HALF		1	3)
3	00 0242 793 0	CYCL. PLATE SCREW	C4,2X 9,5	8	
4	00 0821 097 0	PROTECT.FUNNEL		1	
5	00 0821 098 0	GLIDE RING		1	
6	00 0813 698 0	WASHER		1	
7	00 0813 697 0	COMPRESS.SPRING		1	
8	00 0813 696 0	SLIDING PIN		1	
9	00 0941 475 0	EXTENSION FORKE		1	4)
9	00 0820 426 0	EXTENSION FORKE		1	5)
9	00 0820 427 0	EXTENSION FORKE		1	6)
10	00 0972 503 0	CIRCLIP		4	
11	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
12	00 0242 908 0	CIRCLIP	32X1,2	4	
13	00 0820 421 0	CENTRE CROSS ASS.		2	
14	00 0921 267 0	WASHER		4	
15	00 0921 268 0	DOUBLE FORK		1	
16	00 0244 946 0	GREASE NIPPLE	B M8X1	1	
17	00 0941 486 0	FORK		1	2)
18	00 0244 581 2	SPRING PIN	10X 80	1	
19	00 0941 507 0	PROFILE TUBE		1	7)
20	00 0821 103 0	PROTECT.FUNNEL		1	
21	00 0920 671 0	GLIDE RING		2	
22	00 0824 446 0	PROTECTIVE TUBE		1	8)
23	00 0821 104 0	SUPPORTING CHAIN		1	
24	00 0822 968 1	DRIVE SHAFT HALF		1	9)
25	00 0823 180 0	GUARD HALF		1	8)
26	00 0972 297 0	SUPPORTING CHAIN		1	
27	00 0917 283 0	BACK-UP RING		1	
28	00 0813 018 1	PROTECT.FUNNEL		1	2)
29	00 0824 457 0	KEYOVERRUN CLUTCH		1	2)
30	00 0824 458 0	PROFILE TUBE		1	2)
31	00 0235 186 0	CIRCLIP	72X2,5	1	
32	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
33	00 0814 228 0	STOP KEY		2	
34	00 0814 229 0	FLAT SPRING		2	
35	00 0813 015 0	HUB		1	2)
36	00 0213 698 0	SPRING PIN	W.ERS.D.2136981	1	
37	00 0823 186 0	CLUTCH HOUSING		1	2)
38	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
39	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
40	00 0941 651 0	CENTRE CROSS ASS.		1	
41	00 0242 908 0	CIRCLIP	32X1,2	4	
42	00 0823 998 0	CAM DISK		1	10)
42	00 0940 438 0	CAM DISK		1	11)

1) RemarksVAR. 7725
FROM SERIAL NO. 00703827**2) Remarks****3) Remarks**

tractor side

4) Remarks

6-piece connection

5) Remarks

21-TEIL. ANSCHLUSS

6) Remarks


8-TEIL. ANSCHLUSS

UNIVERSAL DRIVE SHAFT WITH CUT-OUT CLUTC 1)

7)	Remarks	1045 long
8)	Remarks	1000 long
9)	Remarks	machine side
10)	Remarks	see illustration plate 1 D from No. 00712535
11)	Remarks	SIEHE BILDTAFEL 1 C BIS NR. 00712534

1C

Rollant 46



109451

CAM - TYPE CUT - OUT CLUTCH 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0940 438 0	CAM DISK		1	2)
2	00 0211 508 0	CIRCLIP	54X2	1	3)
3	00 0941 430 0	LOCKING RING		1	3)
4	00 0215 521 0	HEXAGON HEAD BOLT	M10X25-MKL	1	3)
5	00 0241 041 0	STEEL BALL	12,7 G28	3	3)
6	00 0941 431 0	TORSION SPRING		1	3)
7	00 0941 432 0	CLAMP KEY		1	3)
8	00 0941 010 0	WASHER		1	3)
9	00 0575 672 0	SEALING RING		1	
10	00 0235 196 0	CIRCLIP	150X4	1	
11	00 0613 966 0	BACK-UP WASHER	S120X150X3,5	1	
12	00 0941 012 0	HUB		1	4)
13	00 0941 491 0	CAM		2	
14	00 0941 490 0	BUSHING	35X39X40	2	
15	00 0575 674 0	SPRING KIT		1	
16	00 0940 439 0	CLUTCH HOUSING		1	

1) Remarks

VAR. 7725
FROM NO. 00703827 - 00712534

2) Remarks


M=1400 Nm

3) Remarks**4) Remarks**

with Item 14

CLAAS

1D




115265

Rollant 46

CAM - TYPE CUT - OUT CLUTCH 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0823 998 1	CAM DISK		1	2)
2	00 0575 672 0	SEALING RING		1	
3	00 0235 196 0	CIRCLIP	150X4	1	
4	00 0613 966 0	BACK-UP WASHER	S120X150X3,5	1	
5	00 0838 048 0	CLAMP BRACKET		1	3)
6	00 0823 999 0	HUB COMPLETE		1	4)
7	00 0941 491 0	CAM		2	
8	00 0941 490 0	BUSHING	35X39X40	2	
9	00 0851 426 0	SPRING KIT		1	
10	00 0851 427 0	CLUTCH HOUSING		1	
1)	Remarks	VAR. 7725 FROM SERIAL NO. 00712535			
2)	Remarks	M=1400 NM			
3)	Remarks				
4)	Remarks	with Item 8			



UNIVERSAL DRIVE SHAFT WITH OVER-RUN CLUT 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0824 480 0	DRIVE SHAFT		1	2)
2	00 0824 482 0	DRIVE SHAFT HALF		1	3)
3	00 0813 698 0	WASHER		1	
4	00 0813 697 0	COMPRESS.SPRING		1	
5	00 0813 696 0	SLIDING PIN		1	
6	00 0941 475 0	EXTENSION FORKE		1	4)
6	00 0820 426 0	EXTENSION FORKE		1	5)
6	00 0820 427 0	EXTENSION FORKE		1	6)
7	00 0972 503 0	CIRCLIP		4	
8	00 0921 267 0	WASHER		4	
9	00 0242 908 0	CIRCLIP	32X1,2	4	
10	00 0820 421 0	CENTRE CROSS ASS.		2	
10	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	2	
11	00 0921 268 0	DOUBLE FORK		1	
12	00 0244 946 0	GREASE NIPPLE	B M8X1	1	
13	00 0244 581 2	SPRING PIN	10X 80	2	
14	00 0820 423 0	FORK		1	
15	00 0941 506 0	PROFILE TUBE	1160 LANG	1	2)
16	00 0920 193 4	PROTECT.FUNNEL		1	2)
17	00 0941 423 0	CAP		1	2)
18	00 0920 671 0	GLIDE RING		2	
19	00 0817 321 1	PROTECTIVE TUBE		1	
20	00 0972 297 0	SUPPORTING CHAIN		2	2)
21	00 0824 483 0	DRIVE SHAFT HALF		1	7)
22	00 0824 475 0	INNER GUARD HALF		1	
23	00 0917 283 0	BACK-UP RING		1	
24	00 0824 479 0	PROTECT.FUNNEL		1	2)
25	00 0941 507 0	PROFILE TUBE		1	2)
26	00 0941 660 0	FORK		1	2)
27	00 0941 651 0	CENTRE CROSS ASS.		1	
27	00 0211 636 0	GREASE NIPPLE	B M8X1-67,5°	1	
28	00 0242 908 0	CIRCLIP	32X1,2	4	
29	00 0824 476 0	OVER-RUN CLUTCH		1	2)
30	00 0241 041 0	STEEL BALL	12,7 G28	3	2)
31	00 0824 477 0	CLUTCH HOUSING		1	2)
31	00 0179 838 0	GREASE NIPPLE	A M8X1	1	
32	00 0814 229 0	FLAT SPRING		2	
33	00 0814 228 0	STOP KEY		2	
34	00 0814 227 0	HUB		1	2)
35	00 0234 388 0	BACK-UP WASHER	S 56X 72	1	
36	00 0235 186 0	CIRCLIP	72X2,5	1	
37	00 0920 683 0	BACK-UP RING		1	2)
38	00 0920 678 0	COMPRESS.SPRING		1	2)
39	00 0920 677 0	LOCKING SLEEVE		1	2)
40	00 0941 098 0	ANGLE RING		1	2)
41	00 0211 406 0	SNAP RING	SP 50	1	2)

1) RemarksVAR. 7126
UP TO SERIAL NO. 00703826**2) Remarks****3) Remarks**

tractor side

4) Remarks

6-piece connection

5) Remarks

21-TEIL. ANSCHLUSS


UNIVERSAL DRIVE SHAFT WITH OVER-RUN CLUT 1)

6)	Remarks	8-TEIL. ANSCHLUSS
7)	Remarks	machine side

3

CLAHAS

ROLLANT 46



Rollant 46 109453

GEARBOX WIT INTERMEDIATE DRIVE ASSY 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0090 120 1	SCREW PLUG	M10X1	1	
2	00 0238 082 0	SCREW PLUG	M24X1,5	1	
3	00 0712 660 0	BREATHING	M 24 X 1,5 MONT	1	
4	00 0821 062 1	GEARBOX ASSY.	540M S	1	2)
5	00 0810 117 0	BUSHING	D30X20	2	
6	00 0239 389 0	CONTACT WASHER	A12	2	
7	00 0233 244 0	HEXAGON HEAD BOLT	M12X40-MKL	2	
8	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	3	3)
9	00 0239 393 1	CONTACT WASHER	B 8 -8.2X22X1,9	3	3)
10	00 0234 320 0	WASHER	8,4X23X3	3	3)
11	00 0900 420 0	GUARD CUP		1	3)
12	00 0233 200 0	SHAFT SEAL	BASL 48X 68X10	1	
13	00 0943 229 0	O-RING	40X1,5 -N	1	
14	00 0635 423 0	MAGNETIC FILTER BOLT	M24X1,5 KEG	1	
15	00 0943 228 0	O-RING	45 X1,5 -N	1	
16	00 0233 949 0	SHAFT SEAL	A 55X72X 8	1	
17	00 0211 422 0	CHAIN INNER LINK	B-20B-1	1	4)
17	00 0665 021 0	CHAIN INNER LINK	B-16B-1	1	5)
18	00 0215 274 0	LOCKING LINK	E-20B-1	1	4)
18	00 0665 016 1	LOCKING LINK	E-16B-1	1	5)
18	00 0211 204 0	CHAIN LOCK BEND.	L-20B-1	1	6)
18	00 0665 017 0	CHAIN LOCK BEND.	L-16B-1	1	5)
19	00 0822 693 0	ROLLER CHAIN	20B-1X130 E	1	4)
19	00 0821 126 0	ROLLER CHAIN	16B-1X164 E	1	5)
20	00 0821 067 1	PROTECTIVE TUBE	D 110 X 496LG	1	
21	00 0818 782 2	SPACER BUSH	54X5X19	1	3)
22	00 0824 494 0	SYNTHETIC BUSH	110X114X 26,8	1	3)
23	00 0237 597 0	CIRCLIP	60X2	1	3)
24	00 0239 257 0	GRVD.BALL BEARING	6212-2RS*-C3	1	3)
25	00 0821 133 2	SPROCKET	15 Z. 31,75 TLG	1	4)
25	00 0821 065 1	SPROCKET	19 Z. 25,40 TLG	1	5)
26	00 0233 031 0	WASHER	13X62X6	1	3)
27	00 0239 389 0	CONTACT WASHER	A12	1	3)
28	00 0239 160 0	HEXAGON HEAD BOLT	M12X35-MKL	1	3)

1) Remarks UP TO SERIAL NO. 00703826

2) Remarks see illustration plate 3 B

3) Remarks

4) Remarks at 31,75 mm pitch


5) Remarks BEI 25,4 MM TEILUNG

6) Remarks BEI 31,75 MM TEILUNG

3A

CLHHS

ROLLANT 46



109454

Rollant 46


GEARBOX WITH INTERMEDIATE DRIVE ASSY. 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0608 099 0	ROUND STEEL CHAIN	G 3X16-17GL	1	2)
2	00 0235 089 0	SPLIT PIN	4 X 22	1	2)
3	00 0237 439 0	HEXAGON HEAD BOLT	M8X16	3	2)
4	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	3	2)
5	00 0822 995 1	GUARD CUP		1	2)
6	00 0238 082 0	SCREW PLUG	M24X1,5	1	
7	00 0712 660 0	BREATHER	M 24 X 1,5 MONT	1	
8	00 0823 862 0	ANGLE DRIVE	I=2,33	1	3)
8	00 0823 016 1	GEARBOX ASSY.	S	1	4)
9	00 0810 117 0	BUSHING	D30X20	2	
10	00 0239 389 0	CONTACT WASHER	A12	2	
11	00 0233 244 0	HEXAGON HEAD BOLT	M12X40-MKL	2	
12	00 0822 996 0	PROTECT.TUBE CPL.		1	5)
13	00 0822 998 1	LOCK		2	2)
14	00 0237 922 1	BLIND RIVET	A 4X12	4	2)
15	00 0233 200 0	SHAFT SEAL	BASL 48X 68X10	1	
16	00 0943 229 0	O-RING	40X1,5 -N	1	
17	00 0635 423 0	MAGNETIC FILTER BOLT	M24X1,5 KEG	1	
18	00 0943 228 0	O-RING	45 X1,5 -N	1	
19	00 0233 949 0	SHAFT SEAL	A 55X72X 8	1	
20	00 0211 422 0	CHAIN INNER LINK	B-20B-1	1	6)
20	00 0665 021 0	CHAIN INNER LINK	B-16B-1	1	7)
21	00 0211 204 0	CHAIN LOCK BEND.	L-20B-1	1	6)
21	00 0665 017 0	CHAIN LOCK BEND.	L-16B-1	1	7)
22	00 0215 274 0	LOCKING LINK	E-20B-1	1	6)
22	00 0665 016 1	LOCKING LINK	E-16B-1	1	7)
23	00 0822 693 0	ROLLER CHAIN	20B-1X130 E	1	6)
23	00 0821 126 0	ROLLER CHAIN	16B-1X164 E	1	7)
24	00 0821 067 1	PROTECTIVE TUBE	D 110 X 496LG	1	
25	00 0822 947 0	BEARING HOUSING		1	2)
26	00 0235 194 0	CIRCLIP	110X4	2	2)
27	00 0236 225 4	GRVD.BALL BEARING	6310-2RSR-C4	1	2)
28	00 0823 013 1	SPROCKET	15 Z. 31,75 TLG	1	6)
28	00 0823 100 0	SPROCKET	19 Z. 25,40 TLG	1	7)
29	00 0823 170 0	WASHER	13X62X6	1	8)
30	00 0236 942 0	GREASE NIPPLE	A S6X1	1	8)
31	00 0239 049 0	HEXAGON HEAD BOLT	M12X30-MKL	1	8)
32	00 0238 387 0	BACK-UP WASHER	S 45X55X3,0	1	9)
33	00 0235 168 0	CIRCLIP	45X1,75	1	9)

1)	Remarks	FROM SERIAL NO. 00703827
2)	Remarks	
3)	Remarks	see illustration plate 3 C from No. 00711485
4)	Remarks	SIEHE BILDTADEL 3 B BIS NR. 00711484
5)	Remarks	with Item 1, 13, 14
6)	Remarks	at 31,75 mm pitch
7)	Remarks	BEI 25,4 MM TEILUNG
8)	Remarks	from No. 00705477
9)	Remarks	to No. 00705476

3B

CLHHS



Rollant 46

109455

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com