



E0360 0102A010A 1



010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0781 439 4	ENGINE	OM936LA 210KW STAGE IV	1	2)
1	00 1984 951 0	ENGINE	REMAN OM 936 LA 210KW IV	1	3)
1	00 0781 435 4	ENGINE	OM936LA 210KW STAGE IV	1	4)
1	00 1984 949 0	ENGINE	REMAN OM 936 LA 210KW IV	1	5)
1	00 0781 440 4	ENGINE	OM936LA 230KW STAGE IV	1	6)
1	00 1984 955 0	ENGINE	REMAN OM 936 LA 230KW IV	1	7)
1	00 0781 436 4	ENGINE	OM936LA 230KW STAGE IV	1	8)
1	00 1984 953 0	ENGINE	REMAN OM 936 LA 230KW IV	1	9)
1)	Equipment	MD_P02_0782 MD_P02_0783 MD_P02_0784 MD_P02_0785	Mercedes Benz OM936 LA - 210 kW/286 hp (T4) Mercedes-Benz OM936 LA - 210 kW/286 hp (T4) with air compressor Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor		
2)	Equipment	MD_P02_0782	Mercedes Benz OM936 LA - 210 kW/286 hp (T4)		
3)	Equipment Remarks	MD_P02_0782	Mercedes Benz OM936 LA - 210 kW/286 hp (T4) Exchange / Reman		
4)	Equipment	MD_P02_0783	Mercedes-Benz OM936 LA - 210 kW/286 hp (T4) with air compressor		
5)	Equipment Remarks	MD_P02_0783	Mercedes-Benz OM936 LA - 210 kW/286 hp (T4) with air compressor Exchange / Reman		
6)	Equipment	MD_P02_0784	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4)		
7)	Equipment Remarks	MD_P02_0784	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) Exchange / Reman		
8)	Equipment	MD_P02_0785	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor		
9)	Equipment Remarks	MD_P02_0785	Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor Exchange / Reman		

E0360 0102A010B 1




010 COMPLETE ENGINE 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0773 715 0	ENGINE	OM906LA 205KW TIER3	1	2)
1	00 0773 716 0	ENGINE	OM906LA 205KW TIER3	1	3)
1	00 0773 717 0	ENGINE	OM926LA 220KW TIER3	1	4)
1	00 0773 718 0	ENGINE	OM926LA 220KW TIER3	1	5)
2	00 0773 708 0	ENGINE	OM906LA 205KW TIER2	1	6)

1) Equipment	MD_P02_0374 MD_P02_0720 MD_P02_0721 MD_P02_0725 MD_P02_0726 MD_P02_0730 MD_P02_0731 MD_P02_0735 MD_P02_0736	Engine OM906 K EEC 205/ ECE 191N-EU (compressor) Mercedes OM906LA engine (EWG205kW) without air compressor Mercedes OM906LA engine (EWG205kW) with air compressor system OM906LA ECE R120 205 kW@2200 rpm Tier 3 / Stage IIIA OM906LA DL compr. ECE R120 205 kW@2200 rpm Tier 3 / Stage IIIA Mercedes OM926LA engine (EWG220kW) without air compressor Mercedes Benz OM926LA 220 kW/299 hp with air compressor OM926LA ECE R120 220 kW@2200 rpm Tier 3 / Stage IIIA OM926LA DL compr. ECE R120 220 kW@2200 rpm Tier 3 / Stage IIIA
2) Equipment	MD_P02_0720 MD_P02_0725	Mercedes OM906LA engine (EWG205kW) without air compressor OM906LA ECE R120 205 kW@2200 rpm Tier 3 / Stage IIIA
3) Equipment	MD_P02_0721 MD_P02_0726	Mercedes OM906LA engine (EWG205kW) with air compressor system OM906LA DL compr. ECE R120 205 kW@2200 rpm Tier 3 / Stage IIIA
4) Equipment	MD_P02_0730 MD_P02_0735	Mercedes OM926LA engine (EWG220kW) without air compressor OM926LA ECE R120 220 kW@2200 rpm Tier 3 / Stage IIIA
5) Equipment	MD_P02_0731 MD_P02_0736	Mercedes Benz OM926LA 220 kW/299 hp with air compressor OM926LA DL compr. ECE R120 220 kW@2200 rpm Tier 3 / Stage IIIA
6) Equipment	MD_P02_0374	Engine OM906 K EEC 205/ ECE 191N-EU (compressor)

E0360 0105A 100A 1



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	8	
2	00 0239 389 0	CONTACT WASHER	A12	8	
3	00 0781 158 4	SUPPORT	MTU OM936LA RE	1	
4	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	1	
4	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	1	
4	00 0236 171 0	HEXAGONAL NUT	M10	1	
5	00 0368 026 0	HEX.HEAD BOLT	M16X40	8	
6	00 0239 391 0	CONTACT WASHER	A16	8	
7	00 0781 155 3	SUPPORT	MTU TIER4F OM936LA 1 LI	1	
8	00 0233 095 0	HEXAGON HEAD BOLT	M16X65	2	
8	00 0239 391 0	CONTACT WASHER	A16	2	
8	00 0236 173 0	HEXAGONAL NUT	M16	2	
9	00 0236 230 0	HEXAGON HEAD BOLT	M16X35	5	
10	00 0239 391 0	CONTACT WASHER	A16	5	
11	00 0773 788 4	ENGINE MOUNTING		1	
12	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	2	
13	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
14	00 0234 326 0	WASHER	11X26X3	2	
15	00 0734 779 0	CABLE RING	C 20-35X50X2	1	
16	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	
16	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
16	00 0236 170 0	HEXAGONAL NUT	M8	2	
17	00 0781 297 3	SUPPORT	2X207X376,2	1	

1) Equipment

MD_P02_0782

MD_P02_0783

MD_P02_0784

MD_P02_0785


Mercedes Benz OM936 LA - 210 kW/286 hp (T4)

Mercedes-Benz OM936 LA - 210 kW/286 hp (T4) with air compressor

Mercedes-Benz OM936 LA - 230 kW/313 hp (T4)

Mercedes-Benz OM936 LA - 230 kW/313 hp (T4) with air compressor

E0360 0105A 100B 1




100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0236 056 0	HEXAGON HEAD BOLT	M12X25	8	
2	00 0239 389 0	CONTACT WASHER	A12	8	
3	00 0781 253 1	SUPPORT		2	
4	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	1	
4	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	1	
4	00 0236 171 0	HEXAGONAL NUT	M10	1	
5	00 0368 026 0	HEX.HEAD BOLT	M16X40	8	
6	00 0239 391 0	CONTACT WASHER	A16	8	
8	00 0237 591 0	HEX.HEAD BOLT	M20X60	2	
8	00 0212 191 0	CONTACT WASHER	A20	2	
8	00 0237 521 0	HEX.NUT	M20	2	
9	00 0236 230 0	HEXAGON HEAD BOLT	M16X35	6	
10	00 0239 391 0	CONTACT WASHER	A16	6	
11	00 0781 150 4	ENGINE MOUNTING		1	
12	00 0237 453 0	HEXAGON HEAD BOLT	M10X30	2	
13	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
14	00 0234 326 0	WASHER	11X26X3	2	
15	00 0734 779 0	CABLE RING	C 20-35X50X2	1	
16	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	2	
16	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
16	00 0236 170 0	HEXAGONAL NUT	M8	2	
17	00 0781 297 3	SUPPORT	2X207X376,2	1	

1) Equipment

MD_P02_0374	Engine OM906 K EEC 205/ ECE 191N-EU (compressor)
MD_P02_0720	Mercedes OM906LA engine (EWG205kW) without air compressor
MD_P02_0721	Mercedes OM906LA engine (EWG205kW) with air compressor system
MD_P02_0725	OM906LA ECE R120 205 kW@2200 rpm Tier 3 / Stage IIIA
MD_P02_0726	OM906LA DL compr. ECE R120 205 kW@2200 rpm Tier 3 / Stage IIIA
MD_P02_0730	Mercedes OM926LA engine (EWG220kW) without air compressor
MD_P02_0731	Mercedes Benz OM926LA 220 kW/299 hp with air compressor
MD_P02_0735	OM926LA ECE R120 220 kW@2200 rpm Tier 3 / Stage IIIA
MD_P02_0736	OM926LA DL comor. ECE R120 220 kW@2200 rpm Tier 3 / Stage IIIA

E0360 0125A100A 1



100 FUEL TANK 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	12	
1	00 0239 389 0	CONTACT WASHER	A12	24	
1	00 0236 172 0	HEXAGONAL NUT	M12	12	
2	00 0548 203 0	MOUNT		1	2)
3	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	6	
3	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	12	
3	00 0236 171 0	HEXAGONAL NUT	M10	6	
4	00 0548 204 0	MOUNT		1	3)
5	00 0034 018 0	CAP		1	
5	00 0581 279 0	CAP	ABSCHLIESSBAR	1	4)
6	00 0038 915 0	SOCKET	SV 80 B/40	1	
7	00 0736 238 0	TANK FILTER		1	
8	00 0783 649 2	ADAPTER		1	5)
9	00 0217 460 0	O-RING	18,64X3,53 -N	1	
10	00 0218 694 0	O-RING	18 X3 -N	1	
11	00 0550 429 1	RETURN PIPE		1	6)
12	00 0217 501 0	CONNECTOR	NQS 1/2" - 6 X 90 GRAD	1	
13	00 0794 417 2	VENTILATION		1	7)
14	00 0217 460 0	O-RING	18,64X3,53 -N	1	
15	00 0218 694 0	O-RING	18 X3 -N	1	
16	00 0016 595 0	LEVEL INDICATOR	D66X1210	1	8)
16	00 0783 653 0	PT SCREW	6ST 4X40	1	
17	00 0794 993 0	GASKET	VORRATSGEBER	1	
18	00 0459 454 0	PVC-HOSE	6 X 1,5	1	9)
19	00 0458 125 0	CLAMP	D8-D10	3	
19	00 2151 573 0	CABLE TIE	4,6 X 200 2TLG. KANTENBE	1	
20	00 0783 649 2	ADAPTER		1	10)
21	00 0217 460 0	O-RING	18,64X3,53 -N	1	
22	00 0218 694 0	O-RING	18 X3 -N	1	
23	00 0550 428 1	SUCTION PIPE		1	11)
24	00 0218 694 0	O-RING	18 X3 -N	1	
25	00 0550 068 0	SCREW PLUG		1	12)
26	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	4	
27	00 0239 394 1	CONTACT WASHER	B10	4	
28	00 0548 224 1	WASHER		2	
29	00 2312 748 0	FUEL TANK		1	13)

1)	Equipment	MD_P14_0065	Fuel tank 650 litres
2)	Remarks		to the rear
3)	Remarks		front
4)	Remarks		As per requirement.
5)	Remarks		with Item 9
6)	Remarks		with Item 8 - 10
7)	Remarks		with Item 14
8)	CCN	CCN-B043	fuel level sensor with Item 17
9)	Remarks		1900 mm long
10)	Remarks		with Item 21

100 FUEL TANK 1)

11) Remarks	with Item 20 - 22
12) Remarks	with Item 24
13) Remarks	with Item 5-17,20-25

E0360 0125A100B 1



100 FUEL TANK 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0237 461 0	HEXAGON HEAD BOLT	M12X30	12	
1	00 0239 389 0	CONTACT WASHER	A12	24	
1	00 0236 172 0	HEXAGONAL NUT	M12	12	
2	00 0548 203 0	MOUNT		1	2)
3	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	6	
3	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	12	
3	00 0236 171 0	HEXAGONAL NUT	M10	6	
4	00 0548 204 0	MOUNT		1	3)
5	00 0034 018 0	CAP		1	
5	00 0581 279 0	CAP	ABSCHLIESSBAR	1	4)
6	00 0038 915 0	SOCKET	SV 80 B/40	1	
7	00 0736 238 0	TANK FILTER		1	
8	00 0783 649 2	ADAPTER		1	5)
9	00 0217 460 0	O-RING	18,64X3,53 -N	1	
10	00 0218 694 0	O-RING	18 X3 -N	1	
11	00 0550 430 1	RETURN PIPE		1	6)
12	00 0217 501 0	CONNECTOR	NQS 1/2" - 6 X 90 GRAD	1	
13	00 0794 417 2	VENTILATION		1	7)
14	00 0217 460 0	O-RING	18,64X3,53 -N	1	
15	00 0218 694 0	O-RING	18 X3 -N	1	
16	00 1811 920 0	LEVEL INDICATOR	L=1020MM	1	8)
16	00 0783 653 0	PT SCREW	6ST 4X40	1	
17	00 0794 993 0	GASKET	VORRATSGEBER	1	
18	00 0459 454 0	PVC-HOSE	6 X 1,5	1	9)
19	00 0458 125 0	CLAMP	D8-D10	3	
19	00 2151 573 0	CABLE TIE	4,6 X 200 2TLG. KANTENBE	1	
20	00 0783 649 2	ADAPTER		1	10)
21	00 0217 460 0	O-RING	18,64X3,53 -N	1	
22	00 0218 694 0	O-RING	18 X3 -N	1	
23	00 0550 428 1	SUCTION PIPE		1	11)
24	00 0218 694 0	O-RING	18 X3 -N	1	
25	00 0550 068 0	SCREW PLUG		1	12)
26	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	4	
27	00 0239 394 1	CONTACT WASHER	B10	4	
28	00 0548 224 1	WASHER		2	
29	00 2312 750 0	FUEL TANK		1	13)

1)	Equipment	MD_P14_0050	Fuel tank 500 litres
2)	Remarks		to the rear
3)	Remarks		front
4)	Remarks		As per requirement.
5)	Remarks		with Item 9
6)	Remarks		with Item 8 - 10
7)	Remarks		with Item 14
8)	CCN	CCN-B043	fuel level sensor with Item 17
9)	Remarks		1900 mm long
10)	Remarks		with Item 21

100 FUEL TANK 1)


11) Remarks	with Item 20 - 22
12) Remarks	with Item 24
13) Remarks	with Item 5-17,20-25

E0360 0125A 120A 1



120 FUEL DELIVERY PUMP

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0068 665 0	HAND PUMP	H11K06 M16X1,5	1	1)
1	00 0077 447 0	INSPECTION GLASS		1	
1	00 0077 446 0	SEALING RING	F. H11 K02	1	
2	00 0077 445 0	FILTER ELEMENT		1	
3	00 0237 442 0	HEXAGON HEAD BOLT	M8X25	2	
3	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	2	
3	00 0236 170 0	HEXAGONAL NUT	M8	2	
1)	Remarks	with Item 2			



140 FUEL PIPES

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 2598 000 1	FUEL PIPE	VORFILTER-MOTOR	1	1)
1	00 0773 603 2	FUEL PIPE	DC	1	2)
2	00 0068 687 1	CONNECTION	HANDPUMPE-MOTOR M18X1,5-10/100GRAD 1 KRAFT	1	
4	00 0142 279 0	TUBE NIPPLE	DN10 - N90 L12	1	
5	00 0216 097 0	STRAIGHT MALE CONNECTOR	(M18X1,5) SDS-L12XM16X1, 5-TYPE E	2	
9	00 0216 341 0	HOLDER CLAMP	D1-12X20	6	
10	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	6	
10	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	6	
10	00 0236 170 0	HEXAGONAL NUT	M8	6	
11	00 0773 889 3	FUEL PIPE	MOTOR - KUEHLER	1	3)
12	00 0216 364 0	UNION NUT	BLL12	1	
13	00 0068 688 1	CONNECTION	M18X1,5-10	1	
14	00 0408 552 2	HOSE CLAMP	A-12-22X9	1	
15	00 0215 409 0	GROMMET	C 10-18X30X1,5	2	
16	00 0215 167 0	CONNECTION	D16X1,5-10	2	
17	00 0216 006 0	UNION NUT	BLL10	2	
18	00 0773 257 3	FUEL PIPE	KUEHLER-TANK	1	4)
19	00 0530 176 0	CONNECTION	NQ-S-NW	1	
20	00 0408 552 2	HOSE CLAMP	1/2-08-90GRAD A-12-22X9	1	
21	00 0216 156 0	PIPE CLAMP	D1-19X20	6	
22	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	6	
22	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	6	
22	00 0236 170 0	HEXAGONAL NUT	M8	6	
23	00 0798 609 0	CONNECTOR	NORMAQUICK S NW	1	
24	00 0408 552 2	HOSE CLAMP	1/2"-10- A-12-22X9	1	
25	00 0773 601 2	FUEL PIPE	TANK-FILTER	1	5)
26	00 0215 799 0	SCREW-IN FITTING	SDS-L12XG3/8A-TYPE E	1	
27	00 0773 602 1	FUEL PIPE	FILTER-HANDPUMPE	1	
28	00 0077 377 0	SUPPORT	3X30X98	1	
29	00 0236 200 0	HEXAGON HEAD BOLT	M8X20	1	
29	00 0239 387 0	CONTACT WASHER	A8-8,2X18X1,4	1	
29	00 0236 170 0	HEXAGONAL NUT	M8	1	
30	00 0237 871 0	CABLE TIE	4,8X188X1,3	2	
31	00 0773 855 0	NON-RETURN VALVE	NW 10	1	6)

1) machine no. + from C0500321 up to C0509999
+ from C3000028 up to C3009999
with Item 2 - 4, 31

2) machine no. + from C0500011 up to C0500320
+ from C3000011 up to C3000027
with Item 2 - 4



3) Remarks with Item 12-17

4) Remarks with Item 15-17,19,20

5) Remarks with Item 23, 24

6) machine no. + from C0500321 up to C0509999
+ from C3000028 up to C3009999


E0360 0125A160A 1



160 FUEL FILTER

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 0215 799 0	SCREW-IN FITTING	SDS-L12XG3/8A-TYPE E	1	
2	00 0235 786 0	SEALING RING	A16 X22	1	
3	00 0783 652 0	BALL-TYPE TAP	DN8-I-G3/8XA-G3/8	1	
4	00 0773 669 0	REDUCING ADAPTER	I-B-G3/8 - A-F-M27X2	2	
5	00 0781 148 3	FUEL PRE-FILTER		1	1)
6	00 0239 388 0	CONTACT WASHER	A10-10,2X22,25X1,6	2	
7	00 0235 540 0	HEXAGON HEAD BOLT	M10X80	2	
10	00 2402 502 0	DRAIN SCREW		3	
11	00 2402 503 0	HOUSING COVER		1	
12	00 0781 149 1	FILTER ELEMENT		1	2)
13	00 2744 191 0	O-RING	90X4 /-K7-E (HNBR 68)	1	
14	00 2659 509 0	WATER CONTAINER	INCL. O-RING (ET)	1	
1)	Remarks	with Item 10-14			
2)	Remarks	w/o by-pass valve			

E0360 0125A 180A1



Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.

You can download the most
perfect and complete manual in
the world immediately.

Our support email:

ebooklibonline@outlook.com