





100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1302 892 0	ENGINE	TCD 2011 L04W 58 KW 2300	1	
2	00 1303 250 0	ENGINE SUPPORT		1	
3	00 1303 198 0	BEARING		1	
4	00 1303 197 0	BEARING		1	
5	00 0320 152 0	SCREW	M14X35	8	
6	00 1303 419 0	BEARING		2	
7	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	16	
8	00 0238 642 0	HEXAGON HEAD BOLT	M16X110	4	
9	00 0211 117 0	LOCK NUT	M16	4	
10	00 1303 135 0	FLANGE	SAE4/38/12-162X4X M14/127	1	
11	00 1303 136 0	CLUTCH		1	
12	00 1303 203 0	V-BELT GUARD		1	
13	00 1303 211 0	SPACER PIECE	M10	1	
14	00 0238 316 0	LOCK NUT	M10	1	
15	00 0237 592 0	WASHER	D10,5X30X2,5	1	
16	00 1303 321 0	ANGLE		1	
17	00 0237 438 0	HEXAGON HEAD BOLT	M8X12	1	
18	00 0237 816 0	WASHER	8-8,4X24X2	1	2)
19	00 0237 874 0	HEXAGON HEAD BOLT	M10X35	1	
20	00 0237 370 0	HEXAGON HEAD BOLT	M8X30	6	
21	00 0235 495 1	SOCKET HEAD SCREW	M10X 25	12	
22	00 1303 418 0	BEARING		2	
23	00 1303 412 0	ADJUSTING DISC		1	3)
24	00 1303 413 0	ADJUSTING DISC		1	4)
25	00 1303 414 0	ADJUSTING DISC		1	5)
26	00 1303 393 1	ENGINE SUPPORT		1	
27	00 1303 846 0	BRACE		1	
28	00 0242 912 0	HEXAGON HEAD BOLT	M12X140	2	
29	00 0237 875 0	HEXAGON HEAD BOLT	M12X45	2	
30	00 0218 512 0	WASHER	A13-13X24X2,5	4	
31	00 0238 315 0	HEXAGONAL NUT	M12	4	


1)	Remarks	58 KW
2)	Remarks	option
3)	Remarks	1.0 mm
4)	Remarks	2.0 mm
5)	Remarks	3.0 mm



100 ENGINE SUSPENSION 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1302 891 0	ENGINE	TCD 2011 LO4 74,9 KW/230	1	
2	00 1303 250 0	ENGINE SUPPORT		1	
3	00 1303 197 1	BEARING	MOTORAUFHÄNGUNG	1	
4	00 1303 198 1	BEARING	NG	1	
5	00 0320 152 0	SCREW	M14X35	8	
6	00 1303 419 0	BEARING		2	
7	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	16	
8	00 0238 642 0	HEXAGON HEAD BOLT	M16X110	4	
9	00 0211 117 0	LOCK NUT	M16	4	
10	00 1303 135 0	FLANGE	SAE4/38/12-162X4X M14/127	1	
11	00 1303 136 0	CLUTCH		1	
12	00 0237 370 0	HEXAGON HEAD BOLT	M8X30	6	
13	00 0235 495 1	SOCKET HEAD SCREW	M10X 25	12	
14	00 1303 418 0	BEARING		2	
15	00 1303 412 0	ADJUSTING DISC		1	2)
16	00 1303 413 0	ADJUSTING DISC		1	3)
17	00 1303 414 0	ADJUSTING DISC		1	4)
18	00 1303 393 1	ENGINE SUPPORT		1	
19	00 1303 846 0	BRACE		1	
20	00 0242 912 0	HEXAGON HEAD BOLT	M12X140	2	
21	00 0237 875 0	HEXAGON HEAD BOLT	M12X45	2	
22	00 0218 512 0	WASHER	A13-13X24X2,5	4	
23	00 0238 315 0	HEXAGONAL NUT	M12	4	

1)	machine no.	+ up to 408010443 75 KW
2)	Remarks	1.0 mm
3)	Remarks	2.0 mm
4)	Remarks	3.0 mm



100 ENGINE SUSPENSION 1)

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1304 060 0	ENGINE	TCD 2011 LO4 74,9 KW/230	1	
2	00 1303 250 0	ENGINE SUPPORT		1	
3	00 1303 197 1	BEARING	MOTORAUFHÄNGU NG	1	
4	00 1303 198 1	BEARING	MOTORAUFHÄNGU NG	1	
5	00 0320 152 0	SCREW	M14X35	8	
6	00 1303 419 0	BEARING		2	
7	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	16	
8	00 0238 642 0	HEXAGON HEAD BOLT	M16X110	4	
9	00 0211 117 0	LOCK NUT	M16	4	
10	00 1303 135 0	FLANGE	SAE4/38/12-162X4X M14/127	1	
11	00 1303 136 0	CLUTCH		1	
12	00 0237 370 0	HEXAGON HEAD BOLT	M8X30	6	
13	00 0235 495 1	SOCKET HEAD SCREW	M10X 25	12	
14	00 1303 418 0	BEARING		2	
15	00 1303 412 0	ADJUSTING DISC		1	
16	00 1303 413 0	ADJUSTING DISC		1	
17	00 1303 414 0	ADJUSTING DISC		1	
18	00 1303 393 1	ENGINE SUPPORT		1	
19	00 1303 846 0	BRACE		1	
20	00 0242 912 0	HEXAGON HEAD BOLT	M12X140	2	
21	00 0237 875 0	HEXAGON HEAD BOLT	M12X45	2	
22	00 0218 512 0	WASHER	A13-13X24X2,5	4	
23	00 0238 315 0	HEXAGONAL NUT	M12	4	
1) machine no.			+ from 408010444 up to 408010640 75 KW		



100 ENGINE SUSPENSION 1)


Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1304 060 0	ENGINE	TCD 2011 LO4 74,9 KW/230	1	
2	00 1303 250 0	ENGINE SUPPORT		1	
3	00 1303 197 1	BEARING	MOTORAUFHÄNGUNG	1	
4	00 1303 198 1	BEARING	MOTORAUFHÄNGUNG	1	
5	00 0320 152 0	SCREW	M14X35	8	
6	00 1303 419 0	BEARING		2	
7	00 0237 382 0	HEXAGON HEAD BOLT	M10X20	16	
8	00 0238 642 0	HEXAGON HEAD BOLT	M16X110	4	
9	00 0211 117 0	LOCK NUT	M16	4	
10	00 1303 135 0	FLANGE	SAE4/38/12-162X4X M14/127	1	
11	00 1303 136 0	CLUTCH		1	
12	00 0237 370 0	HEXAGON HEAD BOLT	M8X30	6	
13	00 0235 495 1	SOCKET HEAD SCREW	M10X 25	12	
14	00 1303 418 0	BEARING		2	
15	00 1303 412 0	ADJUSTING DISC		1	2)
16	00 1303 413 0	ADJUSTING DISC		1	3)
17	00 1303 414 0	ADJUSTING DISC		1	4)
18	00 1303 393 1	ENGINE SUPPORT		1	
19	00 1303 846 0	BRACE		1	
20	00 0242 912 0	HEXAGON HEAD BOLT	M12X140	2	
21	00 0237 875 0	HEXAGON HEAD BOLT	M12X45	2	
22	00 0218 512 0	WASHER	A13-13X24X2,5	4	
23	00 0238 315 0	HEXAGONAL NUT	M12	4	

1) machine no.	+ from 408010641 75 KW
-----------------------	---------------------------

2) Remarks	1.0 mm
-------------------	--------

3) Remarks	2.0 mm
-------------------	--------

4) Remarks	3.0 mm
-------------------	--------



1000244545.iso

100 CRANKCASE

Pos.	Part No.	Description	Dimension	Quantity	Conditions
1	00 1302 968 0	SCREW		8	
2	00 1303 029 0	FLYWHEEL		1	
3	00 1303 024 0	TOOTHED RIM		1	
4	00 1302 998 0	ROTARY SHAFT SEAL	104X125X10	1	
5	00 1303 037 0	COVER		1	
6	00 1302 920 0	SEALANT	LOCTITE 574	1	
7	00 1302 970 0	OIL SUMP		1	
8	60 0500 087 5	SEALING RING		1	
9	00 0233 382 0	SCREW PLUG	M22X1,5	1	
10	60 0502 632 1	SEALING RING	18X24-1,34	2	
11	00 1300 046 0	DRAIN COUPLING	ÖL E-A-M18X1,5 -	1	
12	00 0244 342 0	SCREW PLUG	M22X1,5	1	
13	00 1302 937 0	TORX SCREW	M18X1,5	26	
14	00 0808 603 0	SCREW PLUG	M08X16	4	
15	00 0238 344 0	SEALING RING	M24X1,5	4	
16	00 1303 002 0	COMPRESS.SPRING	A24X29X2	1	
17	00 1303 025 0	VALVE		1	
18	00 1302 931 0	SEALING RING		1	
19	00 1992 563 0	HEX.HEAD BOLT	M14X1,5X110	1	
20	00 1302 941 0	OIL PRESSURE SWITCH		1	
21	00 1302 940 0	TORX SCREW	M08X50	3	
22	00 1303 013 0	SOLENOID		1	
23	00 1302 955 0	SEALING RING		1	
24	00 1303 004 0	GASKET		1	
25	00 1303 005 0	COVER		1	
26	00 0236 911 2	FLAT WASHER	6 -6,4X12X1,6	3	
27	00 0218 553 0	SOCKET HEAD SCREW	M 6X 35	3	
28	00 1303 000 0	ROTARY SHAFT SEAL	A 45X60X8	1	
29	00 1302 999 0	ROTARY SHAFT SEAL	A 55X75X10	1	
30	00 1302 971 0	REPAIR KIT		1	
31	00 1302 965 0	WASHER		1	
32	00 1303 264 0	TEMPERAT.FEELER	M18X1,5	1	

Thank you so much for reading.
Please click the “Buy Now!”
button below to download the
complete manual.



After you pay.
You can download the most
perfect and complete manual in
the world immediately.

Our support email:
ebooklibonline@outlook.com