

R6.125 HI-PROFILE DCR ->ZKDL470200TL15001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM|

Ref: H0.07.0 (2)


4-WAY HYDRAULIC CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

[R6.125 DCR HI-PROFILE ->ZKDL470200TL15001]

9_L5288_15_0-A-002



1	04455074	2	valve ☞ 04455074
2	04451764	1	spool valve EHR 23-LS ☞ 04451764
3	0.012.2329.0/10	1	plate 13 mm
4	04451514/20	1	tip
5	2.3729.100.0/10	1	plate EHS ☞ 2.3729.100.0/10
6	04453409.4/10	1	spool valve
7	2.1589.471.0	15	shim 8.1x11.8x0.04
8	2.1531.048.0	15	oil seal 18.72x2.62
9	2.1531.012.0	10	oil seal 6.75 x 1.78
10	2.0433.025.2	3	stud bolt
11	2.0433.031.2	3	stud bolt m 8 p.1x160
12	2.1475.102.2	6	washer 8.4 x 16
13	2.1019.174.2	6	nut m8 p.1
14	2.0432.259.7	4	stud bolt m 12 p.1.75-1.25x35
15	2.1475.004.2	4	spring washer 12
16	2.1011.422.2	4	nut m 12 p.1.25
17	2.1561.012.0	5	gasket
18	2.3335.009.2	3	pipe union m 22 p.1.5 x 39
19	04451879	2	plug m 27 p.2
20	04454541	1	valve
21	01177224	1	pipe fitting
24	0.016.0488.2/10	1	tube
25	04452891.3/70	1	support
27	2.0114.207.2	3	screw m 8 p.1.25 x 20
28	2.1549.649.0	1	spacer
30	2.0112.220.2	1	screw m 8 p.1.25x55
31	04451512.4	1	lever
32	04315063	1	spring
33	01136452	1	nut vm 8 d980

R6.125 HI-PROFILE DCR ->ZKDL470200TL15001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM|


Ref: H0.07.1 (1)

8-WAY HYDRAULIC CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

- FOR TRACTORS WITHOUT HYDRAULIK BREAKING FOR TRAILER [R6.125 DCR HI-PROFILE
->ZKDL470200TL15001] 15032 <-



1.1	04455074	4	valve ☞ 04455074
1.2	04451764	1	spool valve EHR 23-LS ☞ 04451764
1.3	0.012.2329.0/10	2	plate 13 mm
1.4	04451514/20	1	tip
1.5	2.3729.100.0/10	1	plate EHS ☞ 2.3729.100.0/10
1.6	04453409.4/10	1	spool valve
1.7	2.1589.471.0	15	shim 8.1x11.8x0.04
1.8	2.1531.048.0	15	oil seal 18.72x2.62
1.9	2.1531.012.0	10	oil seal 6.75 x 1.78
1.10	2.0433.034.2	3	stud bolt m 8 p.1x190
1.11	2.0433.031.2	3	stud bolt m 8 p.1x160
1.12	2.1475.102.2	6	washer 8.4 x 16
1.13	2.1019.174.2	6	nut m8 p.1
1.14	01173526	3	ring 22.7 x 30 x 2
1.15	2.3335.009.2	2	pipe union m 22 p.1.5 x 39
1.16	04451879	2	plug m 27 p.2
1.17	04454541	1	valve
1.18	01177224	1	pipe fitting
1.19	0.016.0488.2/10	1	tube
1.20	2.1549.649.0	1	spacer
1.21	04453138.4	1	plate
1.22	04454007	1	pipe union
2	2.0432.259.7	4	stud bolt m 12 p.1.75-1.25x35
3	2.1475.004.2	4	spring washer 12
4	2.1011.422.2	4	nut m 12 p.1.25
5	2.1561.012.0	2	gasket
6	2.3335.009.2	1	pipe union m 22 p.1.5 x 39
9	04452891.3/50	1	support
10	04453962	1	pipe union
11	2.0114.207.2	3	screw m 8 p.1.25 x 20
15	2.0112.220.2	1	screw m 8 p.1.25x55
16	04451512.4	1	lever
17	04315063	1	spring
18	01136452	1	nut vm 8 d980

R6.125 HI-PROFILE DCR ->ZKDL470200TL15001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM|

Ref: H0.07.1 (2)


8-WAY HYDRAULIC CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

- FOR TRACTORS WITHOUT HYDRAULIK BREAKING FOR TRAILER [R6.125 DCR HI-PROFILE

->ZKDL470200TL15001] -> 15033



1.1	04455074	4	valve ☞ 04455074
1.2	04451764	1	spool valve EHR 23-LS ☞ 04451764
1.3	0.012.2329.0/10	2	plate 13 mm
1.4	04451514/20	1	tip
1.5	2.3729.100.0/10	1	plate EHS ☞ 2.3729.100.0/10
1.6	04453409.4/10	1	spool valve
1.7	2.1589.471.0	15	shim 8.1x11.8x0.04
1.8	2.1531.048.0	15	oil seal 18.72x2.62
1.9	2.1531.012.0	10	oil seal 6.75 x 1.78
1.10	2.0433.034.2	3	stud bolt m 8 p.1x190
1.11	2.0433.031.2	3	stud bolt m 8 p.1x160
1.12	2.1475.102.2	6	washer 8.4 x 16
1.13	2.1019.174.2	6	nut m8 p.1
1.14	01173526	3	ring 22.7 x 30 x 2
1.15	2.3335.009.2	2	pipe union m 22 p.1.5 x 39
1.16	04451879	2	plug m 27 p.2
1.17	04454541	1	valve
1.18	01177224	1	pipe fitting
1.19	0.016.0488.2/10	1	tube
1.20	2.1549.649.0	1	spacer
1.21	04453138.4	1	plate
1.22	04454007	1	pipe union
2	2.0432.259.7	4	stud bolt m 12 p.1.75-1.25x35
3	2.1475.004.2	4	spring washer 12
4	2.1011.422.2	4	nut m 12 p.1.25
5	2.1561.012.0	2	gasket
6	2.3335.009.2	1	pipe union m 22 p.1.5 x 39
9	04452891.3/70	1	support
11	2.0114.207.2	3	screw m 8 p.1.25 x 20
15	2.0112.220.2	1	screw m 8 p.1.25x55
16	04451512.4	1	lever
17	04315063	1	spring
18	01136452	1	nut vm 8 d980

R6.125 HI-PROFILE DCR ->ZKDL470200TL15001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM|


Ref: H0.07.2 (1)

8-WAY HYDRAULIC CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

- FOR TYPES WITH HYDRAULIC TRAILER BRAKING (ITALY) [R6.125 DCR HI-PROFILE
->ZKDL470200TL15001] 15031 <-



9_L5388_16_0-A-001

1.1	04455074	4	valve ☞ 04455074
1.2	04451764	1	spool valve EHR 23-LS ☞ 04451764
1.3	0.012.2329.0/10	2	plate 13 mm
1.4	04451514/20	1	tip
1.5	2.3729.100.0/10	1	plate EHS ☞ 2.3729.100.0/10
1.6	04453409.4/10	1	spool valve
1.7	2.1589.471.0	15	shim 8.1x11.8x0.04
1.8	2.1531.048.0	15	oil seal 18.72x2.62
1.9	2.1531.012.0	10	oil seal 6.75 x 1.78
1.10	2.0433.034.2	3	stud bolt m 8 p.1x190
1.11	2.0433.031.2	3	stud bolt m 8 p.1x160
1.12	2.1475.102.2	6	washer 8.4 x 16
1.13	2.1019.174.2	6	nut m8 p.1
1.14	01173526	3	ring 22.7 x 30 x 2
1.15	2.3335.009.2	2	pipe union m 22 p.1.5 x 39
1.16	04451879	2	plug m 27 p.2
1.17	04454541	1	valve
1.18	01177224	1	pipe fitting
1.19	0.016.0488.2/10	1	tube
1.20	2.1549.649.0	1	spacer
1.22	04454007	1	pipe union
2	2.0432.259.7	4	stud bolt m 12 p.1.75-1.25x35
3	2.1475.004.2	4	spring washer 12
4	2.1011.422.2	4	nut m 12 p.1.25
5	2.1561.012.0	2	gasket
6	2.3335.009.2	1	pipe union m 22 p.1.5 x 39
9	04452891.3/50	1	support
10	04453962	1	pipe union
11	2.0114.207.2	3	screw m 8 p.1.25 x 20
13	01171262	1	fascia b 6x15 h3223
14	2.0112.007.2	1	screw m 6 p.1 x 20
16	2.0112.220.2	1	screw m 8 p.1.25x55
17	04451512.4	1	lever
18	04315063	1	spring
19	01136452	1	nut vm 8 d980

R6.125 HI-PROFILE DCR ->ZKDL470200TL15001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM|


Ref: H0.07.2 (2)

8-WAY HYDRAULIC CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

- FOR TYPES WITH HYDRAULIC TRAILER BRAKING (ITALY) [R6.125 DCR HI-PROFILE
->ZKDL470200TL15001] -> 15035



1.1	04455074	4	valve ☞ 04455074
1.2	04451764	1	spool valve EHR 23-LS ☞ 04451764
1.3	0.012.2329.0/10	2	plate 13 mm
1.4	04451514/20	1	tip
1.5	2.3729.100.0/10	1	plate EHS ☞ 2.3729.100.0/10
1.6	04453409.4/10	1	spool valve
1.7	2.1589.471.0	15	shim 8.1x11.8x0.04
1.8	2.1531.048.0	15	oil seal 18.72x2.62
1.9	2.1531.012.0	10	oil seal 6.75 x 1.78
1.10	2.0433.034.2	3	stud bolt m 8 p.1x190
1.11	2.0433.031.2	3	stud bolt m 8 p.1x160
1.12	2.1475.102.2	6	washer 8.4 x 16
1.13	2.1019.174.2	6	nut m8 p.1
1.14	01173526	3	ring 22.7 x 30 x 2
1.15	2.3335.009.2	2	pipe union m 22 p.1.5 x 39
1.16	04451879	2	plug m 27 p.2
1.17	04454541	1	valve
1.18	01177224	1	pipe fitting
1.19	0.016.0488.2/10	1	tube
1.20	2.1549.649.0	1	spacer
1.22	04454007	1	pipe union
2	2.0432.259.7	4	stud bolt m 12 p.1.75-1.25x35
3	2.1475.004.2	4	spring washer 12
4	2.1011.422.2	4	nut m 12 p.1.25
5	2.1561.012.0	2	gasket
6	2.3335.009.2	1	pipe union m 22 p.1.5 x 39
9	04452891.3/70	1	support
11	2.0114.207.2	3	screw m 8 p.1.25 x 20
13	01171262	1	fascia b 6x15 h3223
14	2.0112.007.2	1	screw m 6 p.1 x 20
16	2.0112.220.2	1	screw m 8 p.1.25x55
17	04451512.4	1	lever
18	04315063	1	spring
19	01136452	1	nut vm 8 d980

R6.125 HI-PROFILE DCR ->ZKDL470200TL15001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM|


Ref: H0.07.3 (1)

8-WAY HYDRAULIC CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

- FOR TYPES WITH HYDRAULIC TRAILER BRAKING (FRANCE) [R6.125 DCR HI-PROFILE
->ZKDL470200TL15001] 15021 <-



1.1	04455074	4	valve ☞ 04455074
1.2	04451764	1	spool valve EHR 23-LS ☞ 04451764
1.3	0.012.2329.0/10	2	plate 13 mm
1.4	04451514/20	1	tip
1.5	2.3729.100.0/10	1	plate EHS ☞ 2.3729.100.0/10
1.6	04453409.4/10	1	spool valve
1.7	2.1589.471.0	15	shim 8.1x11.8x0.04
1.8	2.1531.048.0	15	oil seal 18.72x2.62
1.9	2.1531.012.0	10	oil seal 6.75 x 1.78
1.10	2.0433.034.2	3	stud bolt m 8 p.1x190
1.11	2.0433.031.2	3	stud bolt m 8 p.1x160
1.12	2.1475.102.2	6	washer 8.4 x 16
1.13	2.1019.174.2	6	nut m8 p.1
1.14	01173526	3	ring 22.7 x 30 x 2
1.15	2.3335.009.2	2	pipe union m 22 p.1.5 x 39
1.16	04451879	2	plug m 27 p.2
1.17	04454541	1	valve
1.18	01177224	1	pipe fitting
1.19	0.016.0488.2/10	1	tube
1.20	2.1549.649.0	1	spacer
1.22	04454007	1	pipe union
2	2.0432.259.7	4	stud bolt m 12 p.1.75-1.25x35
3	2.1475.004.2	4	spring washer 12
4	2.1011.422.2	4	nut m 12 p.1.25
5	2.1561.012.0	2	gasket
6	2.3335.009.2	1	pipe union m 22 p.1.5 x 39
9	04452891.3/50	1	support
10	04453962	1	pipe union
11	2.0114.207.2	3	screw m 8 p.1.25 x 20
13	01171262	1	fascia b 6x15 h3223
14	2.0112.007.2	1	screw m 6 p.1 x 20
16	2.0112.220.2	1	screw m 8 p.1.25x55
17	04451512.4	1	lever
18	04315063	1	spring
19	01136452	1	nut vm 8 d980

R6.125 HI-PROFILE DCR ->ZKDL470200TL15001

Section: H0 - HYDRAULIC AND PNEUMATIC SYSTEM|


Ref: H0.07.3 (2)

8-WAY HYDRAULIC CONTROL VALVE

Fig.	P/n	QTY	Name
------	-----	-----	------

Notes:

- FOR TYPES WITH HYDRAULIC TRAILER BRAKING (FRANCE) [R6.125 DCR HI-PROFILE ->ZKDL470200TL15001]



1.1	04455074	4	valve ☞ 04455074
1.2	04451764	1	spool valve EHR 23-LS ☞ 04451764
1.3	0.012.2329.0/10	2	plate 13 mm
1.4	04451514/20	1	tip
1.5	2.3729.100.0/10	1	plate EHS ☞ 2.3729.100.0/10
1.6	04453409.4/10	1	spool valve
1.7	2.1589.471.0	15	shim 8.1x11.8x0.04
1.8	2.1531.048.0	15	oil seal 18.72x2.62
1.9	2.1531.012.0	10	oil seal 6.75 x 1.78
1.10	2.0433.034.2	3	stud bolt m 8 p.1x190
1.11	2.0433.031.2	3	stud bolt m 8 p.1x160
1.12	2.1475.102.2	6	washer 8.4 x 16
1.13	2.1019.174.2	6	nut m8 p.1
1.14	01173526	3	ring 22.7 x 30 x 2
1.15	2.3335.009.2	2	pipe union m 22 p.1.5 x 39
1.16	04451879	2	plug m 27 p.2
1.17	04454541	1	valve
1.18	01177224	1	pipe fitting
1.19	0.016.0488.2/10	1	tube
1.20	2.1549.649.0	1	spacer
1.22	04454007	1	pipe union
2	2.0432.259.7	4	stud bolt m 12 p.1.75-1.25x35
3	2.1475.004.2	4	spring washer 12
4	2.1011.422.2	4	nut m 12 p.1.25
5	2.1561.012.0	2	gasket
6	2.3335.009.2	1	pipe union m 22 p.1.5 x 39
9	04452891.3/70	1	support
11	2.0114.207.2	3	screw m 8 p.1.25 x 20
13	01171262	1	fascia b 6x15 h3223
14	2.0112.007.2	1	screw m 6 p.1 x 20
16	2.0112.220.2	1	screw m 8 p.1.25x55
17	04451512.4	1	lever
18	04315063	1	spring
19	01136452	1	nut vm 8 d980



Our support email:

ebooklibonline@outlook.com