
47-Inch Front Mount Snowblower for F900 Series and F1145



OPERATOR'S MANUAL

John Deere Lawn & Grounds Care Division OMM117597 C6

North American Version Litho in U.S.A English

INTRODUCTION

THANK YOU for purchasing a John Deere product.

Read this manual and your vehicle manual thoroughly. Failure to do so could result in personal injury or equipment damage.



This manual should be considered a permanent part of your machine and should remain with the machine when you sell it.

Measurements in this manual are metric units and their U.S. customary equivalents. RIGHT-HAND and LEFT-HAND sides are determined by facing in the direction the machine will travel when going forward. When you see a broken line arrow (- − - →) it indicates the part it is pointing to is hidden.

Product warranty is provided as part of John Deere's support program for customers who operate and maintain their equipment as described in this manual. The product warranty is explained on the warranty certificate you received from your dealer.

Record identification numbers below. Be sure to record all the numbers to help in tracing the machine if it is stolen. You also need to give these numbers to your dealer when you order parts.

Date of Purchase: Phone:
Serial Number:

TABLE OF CONTENTS

Safety Signs	Page
Safety-Alert Symbol	
Machine Safety Labels	1
Preparing the Vehicle	
Install Auxiliary Hydraulic Kit	3
Install Weights and Chains	3
Install Lift Cylinder Orifices (F900 Series)	
·	
Installing	
Park Vehicle Safely	5
Avoid High Pressure Fluids	
Put Lever in Float Position	
Disengage Transmission (F900 Series)	
Moving F1145 Front Mower with Engine Off	
Line Up Front Mower with Snowblower	
Install Lift Arm Pins	8
Connect Driveline	
Relieve Hydraulic Pressure	
Connect Wheel Cylinder Hoses (F900 Series)	
Connect Chute Cylinder Hoses	11
Removing	
Park Vehicle Safely	12
Avoid High Pressure Fluids	12
Park Front Mower and Snowblower	
Disengage Transmission F900 Series Tractors	13
Relieve Hydraulic Pressure	
Disconnect Hoses	
Disconnect Driveline	
Remove Snowblower	15

TABLE OF CONTENTS

	Page
Operating	
SAFETY:	
Operate Safely	. 16
Wear Appropriate Clothing	
Stay Clear of Rotating Drivelines	.17
Avoid Injury From Moving Parts	
Avoid Injury From Hitting Obstructions	.18
OPERATION:	
Snowblowing Tips	
Adjusting Spout	
Adjusting Height of Scraper Blade	
Raising and Lowering Snowblower Turning Chute	
Starting Snowblower	
Stopping Snowblower	
Using Differential Lock	
Using Weight Transfer Valve	
Transporting Front Mower and Snowblower Safely	
Service Machine Safely	
Practice Safe Maintenance	.28
Wear Appropriate Clothing	.29
Stay Clear of Rotating Drivelines	
Avoid Injury from Moving Parts	
Avoid High Pressure Fluids	.30
Service	
Service Intervals	.31
Grease	.32
Gear Oil	
Checking Auger Gearbox Oil Level	
Checking Snowblower Gearbox Oil Level	
Lubricating Worm Gear Shaft	
Lubricating Driveline	. პ5

TABLE OF CONTENTS

	Page
Lubricating Snowblower Wheel Bearings	•
(F900 Series Only)	35
Lubricating Auger Shaft	36
Replacing Shear Bolt	
Replacing Discharge Chute Cable	
Routing Chute Cables	
Installing Cable Shield	
Reversing or Replacing Scraper Blade	
Replacing Snowblower Wheel (F900 Series Only)	
(
Traublachasting	
Troubleshooting	
Using Troubleshooting Chart	41
Storage	
_	40
Storing Snowblower	42
Assembly	
Identify Parts	43
Install Auxiliary Hydraulic Kit	
Install Lift Arms	44
Install Wheel Bracket (F900 Series Only)	
Install Wheel (F900 Series Only)	45
Install Wheel Cylinder (F900 Series Only)	
Install Driveline	
Install Chute	
Route Chute Cables	
Install Cable Shield	
Install Drift Blade	
Install Hydraulic Hoses Safely	
Parts for Wheel Hydraulics (F900 Series Only)	
Install Short Hose	
Install Long Hose (F900 Series only)	
Shorten Hydraulic Hose	
Install Wear Plate (Optional)	
install vveal i late (Optional)	55

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com