12PB, 12SB 14PB, 14SB, and 14SE 21-Inch Walk-Behind Rotary Mowers (Serial No. GXXXXXX010001-)

John Deere Horicon Works
OMM79671 Issue L9
(This manual replaces OM-M79636.)
LITHO IN U.S.A.
ENGLISH

Introduction

THANK YOU for purchasing a John Deere product.

READ THIS MANUAL carefully to learn how to operate and service your machine correctly. Failure to do so could result in personal injury or equipment damage.

THIS MANUAL SHOULD BE CONSIDERED a permanent part of your machine and should remain with the machine when you sell it.

MEASUREMENTS in this manual are U.S. customary units and their metric equivalents.

RIGHT-HAND AND LEFT-HAND sides are determined by facing in the direction of forward travel.

WRITE IDENTIFICATION NUMBERS in the Specifications section. Accurately record all the numbers to help in tracing the machine should it be stolen. Your dealer also needs these numbers when

you order parts. File the identification numbers in a secure place.

WARRANTY is provided as part of John Deere's support program for customers who operate and maintain their equipment as described in this manual. The warranty is explained on the warranty certificate which you should have received from your dealer.

This warranty provides you the assurance that John Deere will back its products where defects appear within the warranty period. In some circumstances, John Deere also provides field improvements, often without charge to the customer, even if the product is out of warranty. Should the equipment be abused, or modified to change its performance beyond the original factory specifications, the warranty will become void and field improvements may be denied. Setting fuel delivery above specifications or otherwise overpowering machines will result in such action.



Model 12PB, 2-Cycle Engine



Model 14SB, 4-Cycle Engine

MX,IFC,79671 -19-25MAY89

Contents

	Р	age
Safety		. 2
Controls		. 8
Operation		. 9
Fuels and Lubricants		17
Troubleshooting		19
Service		21
Storage		36
Assembly		37
Specifications		40
Index		

All information, illustrations and specifications in this manual are based on the latest information available at the time of publication. The right is reserved to make changes at any time without notice.

OMM79671 L9-19-22DEC89

COPYRIGHT® 1988
DEERE & COMPANY
Moline, Illinois
All rights reserved
A John Deere ILLUSTRUCTION™ Manual
Previous Editions
Copyright 1989 Deere & Company

Safety

RECOGNIZE SAFETY INFORMATION

This is the safety-alert symbol. When you see this symbol on your machine or in this manual, be alert to the potential for personal injury.

Follow recommended precautions and safe operating practices.



T81389

UNDERSTAND SIGNAL WORDS

A signal word—DANGER, WARNING, or CAUTION—is used with the safety-alert symbol. DANGER identifies the most serious hazards.

Safety signs with signal word DANGER or WARNING are typically near specific hazards.

General precautions are listed on CAUTION safety signs. CAUTION also calls attention to safety messages in this manual.

A DANGER

A WARNING

ACAUTION


O53,SIGNAL -19-07OCT85

FOLLOW SAFETY INSTRUCTIONS

Carefully read all safety messages in this manual and on your machine safety signs. Keep safety signs in good condition. Replace missing or damaged safety signs.

Learn how to operate the machine and how to use controls properly. Do not let anyone operate without instruction.

Keep your machine in proper working condition. Unauthorized modifications to the machine may impair the function and/or safety and affect machine life.



-UN-23AUG88

O53,READ



OPEI CERTIFICATION

This OPEI Label on your mower indicates that this model has been certified by an independent laboratory for compliance with American National Standard B-71.1-1986, "Safety Specifications" for Power Lawn Mowers, Lawn and Garden Tractors, and Lawn Tractors.



.S288

O53,CERT1

-19-27APR88

INSPECT MOWER REGULARLY

Check hardware often. Keep it tight.

Clean engine often, especially cooling fins.

Discharge chute or rear bag must be in good condition, and in place.

Rear cover (on top of bag) must be working properly and in place.



MX,SABV,A -19-10AUG88

PROTECT FROM THROWN OBJECTS

Before you mow, clear mowing area of objects that might be thrown.

Discharge clippings away from people.

Discharge chute or grass bag must be in place.

Do not lift or block door open when blade is ENGAGED.



MX,SABV,C

19-25MAY89

PROTECT PEOPLE AND PETS

Keep people and pets out of mowing area.

Do not let children or untrained persons operate mower.

Do not leave mower unattended.



MX,SABV,B

7,B -19-10AUG88

PN=4

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com