JOHN DEERE WORLDWIDE COMMERCIAL & CONSUMER EQUIPMENT DIVISION

SelectSpray Attachment for ProGator HD200 and HD300

OMTCU26461 A1

OPERATOR'S MANUAL



JOHN DEERE

Original Instruction
All information, illustrations and specifications in this manual are based on the latest information at the time of publication. The right is reserved to make changes at any time without notice.

COPYRIGHT® 2011

Deere & Co.

John Deere Worldwide Commercial and Consumer Equipment Division All rights reserved Previous Editions COPYRIGHT© 2009

North American Version Litho in U.S.A.

Introduction

Table of Contents

Introduction	І
Product Identification	1
Safety Labels	3
Safety	5
Preparing Vehicle	7
Assembly	7
Removing and Storing	14
Installing	20
Operating - Controls	22
Operating	23
Optional Attachments & Kits	38
Service	41
Troubleshooting	56
Specifications	57
Gotting Quality Service	57

Introduction

Using Your Operator's Manual

Read this entire operator's manual, especially the safety information, before operating.

This manual is an important part of your machine. Keep all manuals in a convenient location so they can be accessed easily.

Use the safety and operating information in the attachment operator's manual, along with the machine operator's manual, to operate and service the attachment safely and correctly.

If your attachment manual has a section called Preparing the Machine, it means that you will have to do something to your tractor or vehicle before you can install the attachment. The Assembly and Installation sections of this manual provide information to assemble and install the attachment to your tractor or vehicle. Use the Service section to make any needed adjustments and routine service to your attachment.

If you have any questions or concerns with the assembly, installation, or operation of this attachment, see your local John Deere dealer or call the John Deere Customer Contact Center at 1-800-537-8233 for assistance.

Warranty information on this John Deere attachment can be found in the warranty that came with your John Deere tractor or vehicle.

Product Identification

Product Compatibility

The HD200 and HD300 Sprayer Attachments are compatible with ProGator™ utility vehicles.

Record Identification Numbers


HD200 Serial Number - (050001-)

HD300 Serial Number - (025001-)

If you need to contact an Authorized Service Center for information on servicing, always provide the product model and serial number.

You will need to locate the model and serial number for the attachment and record the information in the spaces provided below.

Product Identification



DATE OF PURCHASE:

DEALER NAME:

DEALER PHONE:

PRODUCT SERIAL NUMBER (A):

Safety Labels

Safety Labels




Understanding The Machine Safety Labels

The machine safety labels shown in this section are placed in important areas on your machine to draw attention to potential safety hazards.

On your machine safety labels, the words DANGER, WARNING, and CAUTION are used with this safety-alert symbol. DANGER identifies the most serious hazards.

The operator's manual also explains any potential safety hazards whenever necessary in special safety messages that are identified with the word, CAUTION, and the safety-alert symbol.

There can be additional safety information contained on parts and components sourced from suppliers that is not reproduced in this operator's manual.



MX42169

Picture Note: Use label number listed in table below to locate

complete text of safety label message following this illustration. HD200 model shown.

Safety Labels

- A- DANGER MT6304
- **B- WARNING MT6302**
- C- WARNING MT6300
- **D- CAUTION MT6301**
- E- WARNING MT6380
- F- CAUTION MX3605 (On optional hose reel kit)

WARNING MT6300



MT6300

- To avoid injury, read operator's manual.
- Ballast power unit per operator's manual.
- Know location and function of all controls.
- Keep all shields in place.
- Stay clear of power driving parts.
- Never carry riders.
- Keep children and pets a safe distance away from machine.
- Remove attachment from power unit on a level, flat, hard surface.
- Before leaving machine:
 - · Stop engine.
 - · Set park brake.
 - Lower or block up machine.
 - · Remove key.

CAUTION MT6301



Empty tank before removing attachment.

Winterize system when finished each day when operating in near freezing

Check system is at 0 PSI (0 kPa) before starting.

WARNING MT6302



MT6302

To avoid injury from chemical hazards, wear protective clothing. Read and follow chemical manufacturer's labels and instructions.

DANGER MT6304



MT6304

To avoid injury, do not drink water from this container. It may be contaminated. Use for rinse/wash purposes only.

Thank you so much for reading. Please click the "Buy Now!" button below to download the complete manual.



After you pay.

You can download the most perfect and complete manual in the world immediately.

Our support email: ebooklibonline@outlook.com